

# 2014 INDIANA RENEWABLE ENERGY RESOURCES STUDY

**Prepared for:**

the Indiana Utility Regulatory Commission  
and the Interim Study Committee on  
Energy, Utilities and Telecommunications  
of the Indiana General Assembly  
Indianapolis, Indiana





# 2014 INDIANA RENEWABLE ENERGY RESOURCES STUDY

State Utility Forecasting Group

Energy Center

Purdue University

West Lafayette, Indiana

David Nderitu

Douglas Gotham

Darla Mize

Tim Phillips

Paul Preckel

Marco Velastegui

Fang Wu

Jeffrey Young

September 2014



# Table of Contents

---

List of Figures .....	iii
List of Tables .....	v
Acronyms and Abbreviations .....	vii
Foreword.....	x
1. Overview .....	1
1.1 Trends in renewable energy consumption in the United States .....	1
1.2 Trends in renewable energy consumption in Indiana.....	4
1.3 Cost of renewable resources.....	10
1.4 References .....	13
2. Energy from Wind.....	15
2.1 Introduction .....	15
2.2 Economics of wind energy .....	17
2.3 State of wind energy nationally .....	22
2.4 Wind energy in Indiana .....	28
2.5 Incentives for wind energy .....	34
2.6 References .....	36
3. Dedicated Energy Crops.....	39
3.1 Introduction .....	39
3.2 Economics of energy crops .....	42
3.3 State of energy crops nationally .....	47
3.4 Energy crops in Indiana.....	49
3.5 Incentives for energy crops .....	51
3.6 References .....	52
4. Organic Waste Biomass .....	55
4.1 Introduction .....	55
4.2 Economics of organic waste biomass.....	57
4.3 State of organic waste biomass nationally .....	60

4.4	Organic waste biomass in Indiana.....	65
4.5	Incentives for organic waste biomass.....	72
4.6	References .....	73
5.	Solar Energy .....	77
5.1	Introduction .....	77
5.2	Economics of solar technologies .....	80
5.3	State of solar energy nationally .....	83
5.4	Solar energy in Indiana.....	88
5.5	Incentives for solar energy .....	90
5.6	References .....	91
6.	Photovoltaic Cells.....	93
6.1	Introduction .....	93
6.2	Economics of PV systems .....	96
6.3	State of PV systems nationally .....	101
6.4	PV systems in Indiana .....	105
6.5	Incentives for PV systems .....	108
6.6	References .....	110
7.	Hydropower.....	113
7.1	Introduction .....	113
7.2	Economics of hydropower.....	114
7.3	State of hydropower nationally .....	117
7.4	Hydropower in Indiana.....	120
7.5	Incentives for hydropower.....	123
7.6	References .....	124

# List of Figures

---

1-1	Renewable energy consumption in the U.S. (1949-2012).....	1
1-2	U.S. energy consumption by source (1949-2012).....	2
1-3	U.S. total energy consumption by energy source in 2012.....	3
1-4	Net U.S. electricity generation by energy source in 2011.....	3
1-5	Renewables share of Indiana total energy consumption (1960-2011) .....	4
1-6	Renewables share of Indiana net electricity generation (1990-2010) .....	5
1-7	Wind energy installed capacity in Indiana .....	6
1-8	Indiana installed PV capacity in NREL Open PV Project database.....	7
1-9	Estimated generating technologies capital cost.....	11
1-10	Estimated generating technologies O&M cost.....	12
2-1	Horizontal wind turbine configuration .....	15
2-2	Estimated capital costs of various electric generation options .....	18
2-3	Installed wind project costs over time .....	19
2-4	Generating technologies O&M cost .....	20
2-5	Reported U.S. wind turbine O&M costs over time .....	21
2-6	Average cumulative wind and wholesale electricity prices .....	22
2-7	U.S. wind capacity growth. ....	23
2-8	Renewable portfolio standards across the U.S. ....	24
2-9	Wind power capacity by state at the end of 2012 (MW).....	25
2-10	80-meter U.S. wind resource map .....	27
2-11	Annual wind energy capacity installation in Indiana .....	28
2-12	Indiana wind speed at 100 meters height .....	32
2-13	Indiana wind speed at 50 meters height .....	33
3-1	Switchgrass.....	40
3-2	Potential production of energy crops at various years and farmgate prices .....	44
3-3	Supply curves for all energy crops at selected years.....	44
3-4	2011 Bioenergy crop test stations .....	48
3-5	Estimated shares of energy crops and agricultural residues supplied at \$60 per dry ton in 2030.....	49
3-6	Projected production of energy crops in Indiana in 2030 .....	50
4-1	Supply of crop residues at various prices under DOE base-case assumptions ....	58
4-2	Corn stover and grain residue production at selected prices in 2012, 2017, 2022 and 2030 under DOE base-case assumptions.....	59
4-3	U.S. corn stover supply curve .....	60

4-4	U.S. renewable energy consumption 1949-2013.....	61
4-5	Landfill gas projects .....	63
4-6	Renewables share of Indiana total energy consumption (1960-2012) .....	66
4-7	Estimated biomass production potential in Indiana .....	71
5-1	Cross-section layout of a flat-plate collector.....	77
5-2	A parabolic trough CSP system.....	78
5-3	A linear Fresnel CSP .....	79
5-4	A power tower CSP system.....	79
5-5	A dish/engine CSP system .....	80
5-6	Estimated capital cost of generating technologies .....	82
5-7	Operating and maintenance cost of generating technologies .....	83
5-8	Concentrating solar power resource in the U.S.....	84
5-9	Solar thermal power capacity installed in the U.S. ....	85
5-10	Annual installed U.S. capacity for solar pool heating (2001-2010).....	87
5-11	Annual installed U.S. capacity for solar heating and cooling (2002-2010) .....	88
5-12	Direct normal solar radiation (flat-plate collector) in Indiana .....	89
6-1	Photovoltaic cell operation .....	93
6-2	Illustration of a cell, module and array of a PV system .....	94
6-3	Illustration of concentrating photovoltaic cell.....	95
6-4	Performance and price of different PV technologies .....	96
6-5	Estimated capital cost of generating technologies .....	97
6-6	Installed price trends over time for residential and commercial PV systems ....	98
6-7	Installed price trends over time for utility-scale PV systems.....	98
6-8	Weighted average PV system prices 2012 to the first quarter of 2014 .....	99
6-9	Bottom-up average PV system prices first quarter 2014.....	100
6-10	Grid-connected U.S. PV installed 2000 to 2014 .....	101
6-11	Renewable portfolio standards with solar carve-outs.....	102
6-12	Financial incentives for solar-photovoltaic systems.....	102
6-13	Indiana installed PV capacity in NREL <i>Open PV Project</i> database.....	105
7-1	Schematic of impoundment hydropower facility .....	114
7-2	Variable and fixed O&M costs of generating technologies .....	116
7-3	Net renewable electricity generation in the U.S. (1949-2012).....	117
7-4	Non-powered dams with potential capacity over 1 MW.....	119
7-5	Renewables share of Indiana net electricity generation (1990-2012) .....	121

# List of Tables

---

1-1	PV systems in Indiana of 20kW and above capacity .....	8
1-2	Renewable generation contracted under net metering.....	9
1-3	Renewable generation contracted under feed-in tariffs.....	10
2-1	Wind resource classification .....	16
2-2	U.S. wind power rankings: Top 20 states.....	26
2-3	Utility Scale Wind Farms in Indiana .....	29
2-4	Community wind projects in Indiana .....	30
2-5	Wind energy purchase agreements by Indiana utilities .....	31
3-1	DOE funded integrated biorefinery projects .....	42
3-2	Ethanol plants in Indiana.....	46
3-3	Biodiesel plants in Indiana .....	47
3-4	Average cost (\$/ton) for producing switchgrass in Indiana .....	50
4-1	Operating municipal solid waste energy plants.....	62
4-2	Top ten states for potential electricity generation from swine and dairy farms .....	64
4-3	Wastewater treatment combined heat and power systems in the U.S.....	65
4-4	Potential electricity generating capacity in Indiana landfills .....	67
4-5	Operational Anaerobic Digesters in Indiana .....	68
4-6	Potential electricity generating capacity in Indiana concentrated animal feeding operations .....	69
4-7	Potential electricity generating capacity in Indiana wastewater treatment plants .....	70
5-1	Estimated overnight capital cost of CSP plants.....	81
5-2	CSP plants in the U.S.....	86
5-3	CSP plants under construction in the U.S.....	86
6-1	PV systems with capacity greater than 30 MW installed in the U.S.....	104
6-2	PV systems in Indiana of 20 kW and above capacity .....	106
6-3	Renewable generation contracted under feed-in tariffs.....	107

7-1	Initial capital costs of hydropower projects .....	115
7-2	Top ten U.S. hydropower generating states in 2010 (MWh) .....	115
7-3	Ten largest hydropower plants in the U.S. ....	118
7-4	Top ten U.S. hydropower generating states in 2012 (MWh). ....	118
7-5	Hydropower potential from non-powered dams by state .....	120
7-6	Indiana non-powered dams with potential capacity over 1 MW.....	122
7-7	AMP hydropower projects along Ohio River.....	123

# Acronyms and Abbreviations

---

ARRA	American recovery and reinvestment act
AEP	American Electric Power
AMP	American Municipal Power
AWEA	American Wind Energy Association
BOS	balance of systems
Btu	British thermal unit
CAFO	concentrated animal feeding operations
CHP	combined heat and power plant
CO <sub>2</sub>	Carbon dioxide
CPV	Concentrating photovoltaic
CREB	Clean renewable energy bonds
CSP	Concentrating solar power
DC	District of Columbia
DOE	U.S. Department of Energy
DSIRE	Database of state incentives for renewables and efficiency
EDP	Energias de Portugal energy corporation
EERE	Office of Energy Efficiency and Renewable Energy, U.S. Department of Energy
EIA	Energy Information Administration, U.S. Department of Energy
EPA	U.S. Environmental Protection Agency
EPAct	2005 Energy Policy Act
FERC	Federal Energy Regulatory Commission
GW	Gigawatt
GWh	Gigawatthour
IEA	International Energy Agency
IMPA	Indiana Municipal Power Agency
INL	Idaho National Laboratory, U.S. Department of Energy

IPL	Indianapolis Power and Light Company
IREC	Interstate Renewable Energy Council
ISDA	Indiana State Department of Agriculture
ITC	Business energy investment tax credit
IURC	Indiana Utility Regulatory Commission
I&M	Indiana Michigan Power
KDF	Bioenergy Knowledge Discovery Framework, U.S. Department of Energy
kW	Kilowatt
kWh	Kilowatthour
LLC	Limited liability company
LMOP	Landfill Methane Outreach Program, Energy Information Administration, U.S. Department of Energy
m/s	Meters per second
MACRS	Modified accelerated cost-recovery system
MGY	Million gallons per year
mmBtu	Million British thermal unit
mmscf/d	Million standard cubic feet per day
MMTCE	Million metric tons of carbon equivalent
mph	Miles per hour
MSW	Municipal solid waste
MTBE	Methyl tertiary butyl ether – a gasoline oxygenating additive
MW	Megawatt
MW <sub>DC</sub>	Megawatt direct current
MW <sub>th</sub>	Thermal megawatt
MWh	Megawatthour
NIPSCO	Northern Indiana Public Service Company
NO <sub>x</sub>	Nitrogen oxide
NREL	National Renewable Energy Laboratory, U.S. Department of Energy
O&M	Operation and maintenance

OED	Indiana Office of Energy Development
ORNL	Oak Ridge National Laboratory, U.S. Department of Energy
PII	Permitting, interconnection and inspection
POLYSYS	Policy analysis system
PPA	Power purchase agreements
PTC	Production tax credit
PV	Photovoltaic
QEBCB	Qualified energy conservation bonds
REAP	Rural Energy for America Program, U.S. Department of Agriculture
RPS	Renewable portfolio standard
SEDS	State Energy Data System, Energy Information Administration, U.S. Department of Energy
SEGS	Solar Electric Generation System
SEIA	Solar Energy Industries Association
SOx	Sulfur oxides
SUFG	State Utility Forecasting Group
USDA	U.S. Department of Agriculture
VEETC	Volumetric ethanol tax credit
W	Watts
W <sub>dc</sub>	Direct Current Watts
W/m <sup>2</sup>	Watts per square meter
WPCP	Water pollution control plant
WVPA	Wabash Valley Power Association
WWTF	wastewater treatment facility
WWTP	wastewater treatment plant

# Foreword

---

This report represents the twelfth annual study of renewable resources in Indiana performed by the State Utility Forecasting Group. It was prepared to fulfill SUFG's obligation under Indiana Code 8-1-8.8 (added in 2002) to "conduct an annual study on the use, availability, and economics of using renewable energy resources in Indiana." The code was further amended in 2011, clarifying the topics to be covered in the report. In accordance with this change, fuel cells are no longer included and energy from algae is incorporated in the section on organic waste biomass.

The report consists of seven sections. Section one provides an overview of the renewable energy industry in the United States and in Indiana. It includes a discussion of trends in penetration of renewable energy into the energy supply, both nationally and in Indiana. The other six sections are each devoted to a specific renewable resource: energy from wind, dedicated crops grown for energy production, organic biomass waste, solar energy, photovoltaic cells, and hydropower. They are arranged to maintain the format in the previous reports as follows:

- Introduction: This section gives an overview of the technology and briefly explains how the technology works.
- Economics of the renewable resource technology: This section covers the capital and operating costs of the technology.
- State of the renewable resource technology nationally: This section reviews the general level of usage of the technology throughout the country and the potential for increased usage.
- Renewable resource technology in Indiana: This section examines the existing and potential future usage for the technology in Indiana in terms of economics and availability of the resource.
- Incentives for the renewable resource technology: This section contains incentives currently in place to promote the development of the technology and recommendations that have been made in regards to how to encourage the use of the renewable resource.
- References: This section contains references that can be used for a more detailed examination of the particular renewable resource.

This report was prepared by the State Utility Forecasting Group. The information contained in it should not be construed as advocating or reflecting any other organization's views or policy position. For further information, contact SUFG at:

State Utility Forecasting Group  
203 South Martin Jischke Drive  
Mann Hall, Suite 154  
West Lafayette, IN 47907-1971  
Phone: 765-494-4223  
e-mail: [sufg@ecn.purdue.edu](mailto:sufg@ecn.purdue.edu)  
<http://www.purdue.edu/discoverypark/energy/SUFG/>




# 1. Overview

---

This first section of the 2014 Indiana Renewable Energy Resources Report presents an overview of the trends in renewable energy penetration in the U.S. and in Indiana.


## 1.1 Trends in renewable energy consumption in the United States

Figure 1-1 shows the amounts of renewable energy in quadrillion British thermal units (Btu) consumed in the U.S. from 1949 to 2013. Until the early 2000s hydroelectricity and woody biomass were the dominant sources of renewable energy consumed in the U.S. The last decade has seen a rapid increase in biofuels (mainly corn-based ethanol) and wind as sources of renewable energy. In 2013 wind and biofuels combined contributed nearly 40 percent of the 9.3 quadrillion Btu of renewable energy consumed in the U.S. The rapid increase in corn-ethanol has been driven by two factors: it serves as a replacement of the oxygenating additive MTBE in gasoline which started being phased out in 2000, and the Federal Renewable Fuel Standard, first authorized in the 2005 Energy Policy Act and then expanded in 2007, which created mandates for the production of biofuels. This rapid increase in corn-ethanol has since slowed and even turned into a decline in 2012 in line with declining U.S. gasoline demand. The rapid increase in wind energy started with the introduction of the Federal Production Tax Credit (PTC) in 1992, and continued with the proliferation of renewable portfolio standards in a number of states. The PTC expired in December 2013.



**Figure 1-1:** Renewable energy consumption in the U.S. (1949-2013) (Data source: EIA [1])

Despite the growth shown in Figure 1-1, renewable energy's share of the total energy consumed in the U.S. remains modest at less than 10 percent. Fossil fuels supply over 80 percent of the energy consumed, while nuclear energy supplies the remainder. Figure 1-2 shows the sources of total energy consumed in the U.S. from 1949 to 2013.




**Figure 1-2: U.S. energy consumption by source (1949-2013)** (Data source: EIA [2])


Figure 1-3 shows the contribution of the various energy sources to total energy consumed in the U.S. in 2013. Petroleum continued to be the dominant energy source supplying 36 percent, followed by natural gas at 27 percent and coal at 19 percent. Among the renewable resources, biomass (including wood, biofuels, municipal solid waste, landfill gas and others) comprised nearly half of the total renewable energy, followed by hydroelectricity at 28 percent. Wind power's contribution rose to 17 percent from 15 percent in 2012, solar remained at 3 percent and geothermal dropped to 2 percent.

When one considers renewable resources in electricity generation (Figure 1-4), hydroelectricity played a dominant role in 2013, exceeding all other renewable resources combined. Hydroelectricity made up 52 percent of the renewable electricity generated. Wind energy took second place at 32 percent of the renewable electricity and woody biomass takes a distant third place at 8 percent. Waste biomass contributed 4 percent, geothermal 3 percent and solar 2 percent. As expected, pumped hydroelectricity's net energy contribution was negative.<sup>1</sup>

<sup>1</sup> Pumped hydroelectric facilities use electricity from the grid during periods of low demand and price to pump water from a lower reservoir to a higher one. That water is then available to generate electricity during high demand and price periods. Due to evaporation and inefficiencies in the pumping and generating processes, less



**Figure 1-3:** U.S. total energy consumption by energy source in 2013 (Data source: EIA [1, 3])




**Figure 1-4:** Net U.S. electricity generation by energy source in 2013 (Data source: EIA [4])

energy is generated than is used. However, the value of the lost energy is more than compensated because low cost, off-peak electricity is converted to high cost, on-peak electricity.

## 1.2 Trends in renewable energy consumption in Indiana


Figure 1-5 shows renewable energy consumption in Indiana from 1960 to 2012. In the 1980s, renewable resources contributed over 3 percent of total energy consumed in Indiana. In the 1990s the share fell to below 2 percent, until the recent increase in ethanol and wind increased renewable resources to over 5 percent. Before the entry of ethanol and wind in the 2000s, woody biomass had been the main source of renewable energy in Indiana, comprising over 80 percent of the total renewable energy. This has since changed with biofuels now the dominant source of renewable energy, supplying over half of the renewable energy consumed in Indiana in 2013. Wind energy was second providing 21percent of the renewable energy, and woody biomass was relegated to third place at 20 percent.



**Figure 1-5: Renewables share of Indiana total energy consumption (1960-2012)** (Data source: EIA [5])


Figure 1-6 shows the contribution of renewable energy to Indiana's electricity generation from 1990 to 2012. The arrival of utility-scale wind energy projects in 2007 caused a rapid increase in renewable energy's share of Indiana's electricity generation. The renewables share of annual electricity generation rose from 0.5 percent in 2007 to 3.5 percent in 2012 most of which (80 percent) was from wind. Hydroelectricity, which until 2007 was the primary source of renewable electricity, maintained its share of annual generation at 0.4

percent. The renewables share of electricity generation in Indiana is expected to show another rapid increase in 2013 when approximately 72 MW of solar photovoltaic capacity installed since the end of 2012 is included in the annual generation totals.




**Figure 1-6:** Renewables share of Indiana electricity generation (1990-2010) (Data source: EIA [6])

In keeping with the national trend, the rapid growth in wind energy capacity in Indiana has slowed down substantially with only one wind farm, the 200 MW Wildcat wind farm in Madison and Tipton counties, being commissioned in the last three years. The factors that have resulted in the substantial slowing down of wind energy capacity expansion include the reduced availability of capital after the 2008 global financial crisis and the reduced competitiveness of wind in the face of abundant low cost natural gas as a result of the hydraulic fracking and horizontal drilling technological breakthroughs in the oil and gas extraction industry. Figure 1-7 shows the annual and cumulative installed wind energy capacity in Indiana. Indiana utilities have a total 1,162 MW contracted with power purchase agreements, 757 MW from wind farms in Indiana and 405 MW from out of state wind farms in Illinois, Iowa, Minnesota and South Dakota.



**Figure 1-7: Wind energy installed capacity in Indiana (Data sources: IURC, DOE [7-10]).**

As the construction of wind energy capacity has slowed down, another renewable resource, solar photovoltaic, has been experiencing very rapid growth with the installed capacity increasing from virtually none in 2008 to 82 MW at the time this report was written. Ninety five percent of that capacity (77.5 MW) was commissioned in 2013 and the early part of 2014. Figure 1-8 shows the annual and cumulative PV capacity installations as reported to the National Renewable Energy Laboratory's (NREL) *Open PV Project* database on August 21, 2014. Five large projects installed in Marion County account for 85 percent of Indiana's installed capacity. They are the 26.2 MW Indy Solar I and II solar farm located in Franklin township, the 12.5 MW Indianapolis International Airport solar farm, the 11.3 MW Solar Indy III project in Decatur township, the 10.9 MW Maywood Solar farm at the Reilly Superfund site in Indianapolis and the 9 MW Indianapolis Motor Speedway facility. Table 1-1 lists PV installations in Indiana with a capacity of 20 kW and above.



**Figure 1-8:** Indiana installed PV capacity in NREL *Open PV Project* database (Data source NREL [11])

Owner /Developer	Rated Capacity (kW)	Location	Date Installed	Cost (\$/kW)
Dominion Resources	26,209	Franklin, Marion County	2013	
Johnson Melloh Solutions and Telemon Corporation	12,500	Indianapolis International Airport	2013	
Dominion Resources	11,275	Decatur, Marion County	2013	
Maywood Solar Farm	10,860	Reilly Tar and Chemical Superfund Site, Indianapolis	2014	
SunWize Technology and Blue Renewable Energy	9,042	Indianapolis Motor Speedway	2014	
groSolar	2,693	Griffith, Lake County	2013	3,899
groSolar	2,693	East Chicago	2013	3,899
U.S. General Services Administration	2,012	Emmett Bean Federal Center, Indianapolis	2011	
Indiana Municipal Power Agency	1,000	Richmond	2014	2,600
Lake Village Solar LLC	650	Lake Village, Newton County	2013	
Seating Technology, Inc.	627	Goshen	2013	
Solscient Energy	375	New Paris, Elkhart	2013	
Metal Pro Roofing	186	Franklin, Johnson	2011	
Johnson Melloh Solutions Demonstration Lab	100	Indianapolis	2011	
Transpo Bus Company	93	South Bend, Transpo Bus Station	2010	
Lakestation City	73	Lakestation City Hall, Lake Cty	2011	
Monroe County Board of Commissioners	64	Bloomington	2012	
Johnson Melloh Solutions	61	Fronius USA Headquarters	2013	
Laurelwood Apartments	60	Indianapolis	2011	
Johnson Melloh Solutions	50	Carmel, Hamilton County	2012	
Stinson-Remick Hall, Notre Dame	50	Notre Dame	2010	10,000
Greenworks Power	48	Indianapolis	2013	
IUPUI Business School	46	Indianapolis	2013	5,335
Agricultural	29	Rochester	2013	
Home Energy LLC	29	Valparaiso	2012	2,262
Residential	28	Newburgh, Warrick County	2013	3,005
St. Thomas Evangelical Lutheran Church	28	Bloomington	2013	2,504
Unitarian Universalist Church	24	Bloomington	2013	3,260
Congregation Beth Shalom	23	Bloomington	2013	2,573
New Holland Rochester	23	Rochester	2012	
Agricultural	21	Decatur	2013	
Shannon Glenn Apartments - 1	20	Evansville	2011	
Shannon Glenn Apartments - 2	20	Evansville	2011	

**Table 1-1:** PV systems in Indiana of 20kW and above capacity (Data source: NREL [11])

The factors credited for rapid growth in photovoltaic generation capacity in Indiana include federal, state and utility incentives. Federal incentives include the extension and modification of the 30 percent investment tax credit (ITC) to remove the \$2,000 cap for solar and small wind, the provision by the 2009 American Recovery and Reinvestment Act (ARRA) for a 30 percent cash grant in lieu of the ITC and the production tax credit, and the provision in the ARRA for funds for U.S. Department of Energy loan guarantee program targeted towards renewable energy resources. The favorable conditions at the state level include the expansion of the net metering rule to include all customer classes, renewable generating systems up to 1 MW, and the increase of the cap at which a utility may limit system-wide net metering<sup>2</sup> capacity to one percent of its most recent summer peak [12]. In addition, two Indiana utilities had in place for three years ending in 2013 feed-in tariffs<sup>3</sup>. Indianapolis Power and Light (IPL) offered 15 year contracts for the renewable generators as follows:

- \$0.24/kWh for PV systems between 20 and 100 kW and \$0.20/kWh for systems greater than 100kW up to 10 MW,
- \$0.14/kWh for windmills 50 kW to 100 kW, \$0.105 for those 100 kW to 1 MW, and \$0.075/kWh for those greater than 1 MW, and
- \$6.18/kW per month plus \$0.085/kWh for biomass facilities [13].

NIPSCO's feed-in tariff offered 15 year contracts at the following rates:

- \$0.30/kWh for PV units less than 10 kW and \$0.26/kWh for facilities up to 2 MW,
- \$0.17/kWh for wind units with a capacity less than or equal to 100 kW and \$0.10/kW for units with capacities between 101kW and 2 MW, and
- \$0.106/kWh for biomass facilities [14].

Table 1-2 shows the 7 MW of net metering generation contracted to Indiana investor owned utilities while Table 1-3 shows the 128 MW contracted under the feed-in tariffs.

	<b>Solar (kW)</b>	<b>Wind (kW)</b>	<b>Total (kW)</b>
Duke	1,458	2,210	3,668
IPL	128	50	178
Indiana Michigan	253	257	510
NIPSCO	396	1,910	2,306
Vectren	422	4	426
<b>total</b>	<b>2,657</b>	<b>4,431</b>	<b>7,088</b>

**Table 1-2: Renewable generation contracted under net metering** (Data source: IURC [7])

<sup>2</sup> The net metering rule allows customers with eligible renewable resource generating facilities to receive credit for the self-generated electricity at the retail rate. At the end of each billing cycle the customer pays for the net electricity received from the utility. In the Indiana rule excess generation by the customer is credited to the next billing cycle.


<sup>3</sup> A feed-in tariff by a utility offers a long-term contract to buy electricity from a customer-owned renewable resource generating facility at incentive rates that reflect the cost of generating electricity from the renewable technology.

	Wind (kW)	Photovoltaic (kW)	Biomass (kW)	Total (kW)
IPL	0	98,132	0	98,132
NIPSCO	160	15,200	14,350	29,710
Total kW	160	113,332	14,350	127,842

**Table 1-3:** Renewable generation contracted under feed-in tariffs (Data source: IURC [7])


### 1.3 Cost of renewable resources

One of the main barriers to widespread use of renewable resources for electricity generation is the cost. Figure 1-9 shows the estimated capital costs of utility scale electricity generating technologies provided in the 2013 EIA update of generating plant costs. As can be seen in the figure, only wind and hydropower have a capital cost that is competitive with fossil fueled generation [15].



**Figure 1-9:** Estimated generating technologies capital cost (Data source EIA [15])

Figure 1-10 shows the EIA estimated operating and maintenance (O&M) costs. As can be seen from the figure, renewable resources do not have a clear advantage over conventional generating technologies in terms of O&M costs.



**Figure 1-10:** Estimated generating technologies O&M cost (Data source EIA [15])

## 1.4 References


1. Energy Information Administration (EIA). May 2014 Monthly Energy Review Table 10.1. <http://www.eia.gov/totalenergy/data/monthly/>
2. EIA. May 2014 Monthly Energy Review Table 1.1. <http://www.eia.gov/totalenergy/data/annual/#renewable>
3. EIA. May 2014 Monthly Energy Review Table 1.3 <http://www.eia.gov/totalenergy/data/monthly/#summary>
4. EIA. Renewable. May 2014 Monthly Energy Review, Table 7.2a. <http://www.eia.gov/totalenergy/data/monthly/#electricity>
5. EIA. State Energy Data System (SEDS), Table CT2. Primary Energy Consumption Estimates, 1960-2012, Indiana [http://www.eia.gov/state/seds/data.cfm?incfile=/state/seds/sep\\_use/total/use\\_tot\\_INcb.html&sid=IN](http://www.eia.gov/state/seds/data.cfm?incfile=/state/seds/sep_use/total/use_tot_INcb.html&sid=IN)
6. EIA. Indiana Electricity Profile 2012, Table 5, Release date: May 2014. <http://www.eia.gov/electricity/state/indiana/>
7. George Stevens. Indiana Utility Regulatory Commission.
8. Performance Services Corporation. [http://www.performanceservices.com/services/wind\\_power/Community\\_wind\\_project](http://www.performanceservices.com/services/wind_power/Community_wind_project)
9. DOE, Wind Powering America Program. School wind project locations. <http://www.windpoweringamerica.gov/schools/projects.asp>
10. Cascade Renewable Energy. CityBus Headquarters Wind Project. <http://www.cascaderenewableenergy.com/projects/citybus-wind>
11. National Renewable Energy Laboratory. The open PV Project. <http://openpv.nrel.gov/>
12. Database of State Incentives for Renewables & Efficiency (DSIRE). <http://www.dsireusa.org/>
13. Indianapolis Power & Light Company. [http://www.iplpower.com/uploadedFiles/iplpowercom/Business/Programs\\_and\\_Services/Rate%20REP-Apr%202010.pdf](http://www.iplpower.com/uploadedFiles/iplpowercom/Business/Programs_and_Services/Rate%20REP-Apr%202010.pdf)
14. NIPSCO. <https://www.nipSCO.com/docs/default-source/our-services-docs/feedin-faq.pdf>
15. EIA. Updated capital cost estimates for utility scale electricity generation plants. April 2013. [http://www.eia.gov/forecasts/capitalcost/pdf/updated\\_capcost.pdf](http://www.eia.gov/forecasts/capitalcost/pdf/updated_capcost.pdf)



## 2. Energy from Wind

### 2.1 Introduction

Wind turbines convert the kinetic energy in wind into mechanical energy and then into electricity by turning a generator. There are two main types of wind turbines, vertical and horizontal axis. The horizontal axis turbine with three blades facing into the wind is the most common configuration in modern wind turbines. Figure 2-1 shows the basic parts of a modern wind turbine used for electricity generation.



**Figure 2-1:** Horizontal wind turbine configuration (Source: Alternative Energy News [1])

Utility-scale wind farms in the U.S. began in California in the 1980s, with individual wind turbines on the order of 50 – 100 kilowatt (kW) of rated capacity. Turbine capacity and wind farm sizes have grown steadily to the point where the 2 megawatt (MW) turbine and wind farms with hundreds of MW of capacity are common [2].

Although wind farms' capacities have grown to be comparable to fossil fueled generators, the total electricity that can be produced from a wind farm annually is typically much less than the electricity that is available from a fossil-fueled power plant with the same maximum capacity. A baseload coal or nuclear power plant in the U.S. will typically have an annual capacity factor<sup>4</sup> of over 80 percent while the capacity factors of wind farms are estimated to range between 20 and 40 percent, depending on the average annual wind speed at their location [3].

Wind speeds are important in determining a turbine's performance. Generally, annual average wind speeds of greater than 7 miles per hour (mph), or 3 meters per second (m/s), are required for small electric wind turbines not connected to the grid, whereas utility-scale wind plants require a minimum wind speed of 11 mph (5 m/s). The power available to drive wind turbines is proportional to the cube of the speed of the wind. This implies that a doubling in wind speed leads to an eight-fold increase in power output. A measurement called the wind power density is used to classify sites into "wind power classes" [4]. Wind power density is measured in watts per square meter (W/m<sup>2</sup>) and is calculated from annual observed wind speeds and the density of air. Table 2-1 lists the wind class categories currently used.

	<b>10 m (33 ft) Elevation</b>		<b>50 m (164 ft) Elevation</b>	
Wind Power Class	Wind Power Density (W/m <sup>2</sup> )	Speed m/s (mph)	Wind Power Density (W/m <sup>2</sup> )	Speed m/s (mph)
<b>1</b>	0–100	0- 4.4 (9.8)	0-200	0-5.6 (12.5)
<b>2</b>	100 – 150	4.4 – 5.1 (9.8 – 11.5)	200 – 300	5.6 – 6.4 (12.5 – 14.3)
<b>3</b>	150 – 200	5.1 – 5.6 (11.5 – 12.5)	300 – 400	6.4 – 7.0 (14.3 – 15.7)
<b>4</b>	200 – 250	5.6 – 6.0 (12.5 – 13.4)	400 – 500	7.0 – 7.5 (15.7 – 16.8)
<b>5</b>	250 – 300	6.0 – 6.4 (13.4 – 14.3)	500 – 600	7.5 – 8.0 (16.8 – 17.9)
<b>6</b>	300 – 400	6.4 – 7.0 (14.3 – 15.7)	600 – 800	8.0 – 8.8 (17.9 – 19.7)
<b>7</b>	> 400	> 7.0 (15.7)	> 800	> 8.8 (19.7)

**Table 2-1:** Wind resource classification (Data source: NREL [5])

---

<sup>4</sup> Annual capacity factor = 
$$\frac{\text{Actual amount of energy produced in a year}}{\text{Energy that would have been produced if plant operated at full rated capacity all year}}$$


In addition to being a virtually inexhaustible renewable resource, wind energy has the advantage of being modular; that is a wind farm's size can be adjusted by simply adjusting the number of turbines on the farm. A major disadvantage of wind is that the amount of energy available from the generator at any given time is dependent on the intensity of the wind resource at the time which is very difficult to predict. This intermittency of intensity reduces the wind generator's value both at the operational level and also at the system capacity planning level where the system planner needs information about how much energy they can depend on from a generator at a future planning date, i.e., when the wind intensity cannot be perfectly predicted. Another disadvantage of wind energy is that good wind sites tend to be located far from main load centers and transmission lines. Concerns have also been raised about the death of birds and bats flying into wind turbines, the possibility of turbines causing radar interference, and potential adverse effects of the shadow flicker<sup>5</sup> on people living in close proximity.

## **2.2      Economics of wind energy**

Figure 2-2 shows capital cost estimates released by the EIA in April 2013. According to these estimates, onshore utility scale wind power plants have the lowest capital cost among the renewables at \$2,213/kW. In addition wind has a lower capital cost than nuclear and pulverized coal power plants. Offshore wind power plants, on the other hand, have an estimated capital cost that is higher than all other generating technologies except municipal solid waste power plants and combined cycle biomass power plants.

---


<sup>5</sup>The shadow flicker is a pulse of shadows and reflections that is sometimes cast by the moving turbine blades.



**Figure 2-2:** Estimated capital costs of various electric generation options (Source: EIA [6])


Figure 2-3 shows the trend in installed wind power plant costs for the projects installed from 1982 to 2013 contained in the 2013 DOE *Wind Technologies Market Report* [7]. As can be seen in the Figure, after a period of increasing project cost between 2005 and 2009, the costs have been on a steady decline up to 2013. The capacity-weighted average cost for projects installed in 2012 was \$1,940/kW, a decline of \$215 from the 2010 high of \$2,155/kW. The capacity-

weighted average cost of the 11 projects installed in 2013 was \$1,630/kW, \$310 below the 2012 average cost. According to the Wind technologies report this rather large decline in average capital in 2013 may not be representative of an industry wide trend due to the very small sample size of projects completed in 2013. The authors of the Wind energy technologies report argue that the small sample size may have allowed a few large low-cost projects to unduly influence the average capital cost. A more representative average cost of \$1,750/kW for 2013, is obtained when the cost of projects whose construction started in 2013 with anticipated completion in 2014 is included. This would represent a smaller but still substantial decline in average capital cost of \$190/kW between 2012 and 2013. The decline trend in installed costs of wind energy projects reflects the reduction in turbine prices that has been occurring since 2008; the average turbine prices have declined by approximately 20 to 40 percent from 2008 to 2013 [7].




**Figure 2-3:** Installed wind project costs over time (Source: EERE [7])

Operation and maintenance (O&M) costs are a significant part of the overall cost of wind power plants. According to the *2013 Wind Technologies Market Report* unscheduled maintenance and premature component failure are key challenges to the wind industry. Figure 2-4 shows the O&M costs of electricity generating plants according to the EIA 2013 estimates. EIA estimates the variable O&M to be zero for both on shore and offshore wind farms while the fixed O&M cost is \$74/kW for offshore wind and \$40/kW for onshore wind farms. The \$40/kW fixed O&M cost for the onshore wind farms is higher than that of all fossil-fuel power plants but lower than the \$93/kW estimated fixed O&M cost of a nuclear power plant.




**Figure 2-4:** Generating technologies O&M cost (Data Source: EIA [6])

Figure 2-5 shows the O&M costs in the *2013 Wind Technologies Market Report*. According to the report consistent time-series O&M data is very difficult to obtain and even when available care must be taken in interpreting historical trends due to the very dramatic changes that have taken place in wind turbine technology in the last twenty years. Figure 2-5 shows the O&M costs in \$/MWh for the 152 wind projects in the Lawrence Berkeley National Laboratory database for which O&M data was available. The graph suggests that projects installed recently have incurred lower average O&M costs. Specifically, capacity-weighted average O&M costs for the 24 sampled projects constructed in the 1980s were \$34/MWh, which dropped to \$23/MWh for the 37 projects installed in the 1990s, to \$10/MWh for the 74 projects installed since 2000, and to \$9/MWh for the 20 projects installed since 2010 [7].



**Figure 2-5:** Reported U.S. wind turbine O&M costs over time (Source: EERE [7])


Figure 2-6 shows the range of national average annual wholesale electricity prices for a flat block of power and the average generation-weighted price in power purchase agreements (PPA) executed in each year from 2003 to 2013. As can be seen from the figure, average wind power prices compared favorably to wholesale power prices until the sharp drop in wholesale prices in 2009. This resulted in a couple of years, 2009 and 2010, when wind power prices were higher than the wholesale electricity prices on a nationwide basis. This condition changed in 2011 and 2012 when the wind power prices fell below the higher end of the wholesale power price range. In 2013 declining wind PPA prices, combined with a rise in whole sale power prices, put the wind back into the lower range of the whole sale power price. The wind energy prices in the Berkeley Lab data set reflect the price sold by wind project owners under multi-year power purchase agreements. The wind project owners are able to take a price lower than the wholesale market price because they have access to the \$23/MWh federal production tax credit.



**Figure 2-6:** Average cumulative wind and wholesale electricity prices (Source: EERE [7])

### 2.3 State of wind energy nationally


In the wake of the 2008 financial crisis which drastically reduced access to capital, the annual wind capacity additions dropped from 10,000 MW in 2009 to 5,215 MW in 2010. The annual addition recovered to an annual addition of 6,647 MW in 2011 and a record high of 13,082 MW in 2012. This recovery did not last, with the capacity additions of only 1,098 MW in 2013. Figure 2-7 shows the capacity installation from 2001 to the first quarter of 2014. According to the American Wind Energy Association the cumulative installed capacity in the U.S. at the end April 2014 was 61,327 MW [8].



**Figure 2-7: U.S. wind capacity growth** (Source: AWEA [8])


Federal and state incentives and state renewable portfolio standards continued to play key roles in the growth in the wind industry. The provisions in the 2009 American Recovery and Reinvestment Act to allow investors to convert the federal production tax credit into a treasury cash grant has been a significant source of capital for the wind industry, offsetting the capital shortage caused by the 2008 financial crisis. The surge in capacity additions in 2012 is attributed to the then expected expiration of the \$23/MWh federal renewable electricity production tax credit (PTC). The PTC was subsequently extended to include all projects whose construction would start before the end of 2013.

Figure 2-8 is a map showing the states that have enacted some form of renewable portfolio standard or set a non-binding goal.



**Figure 2-8:** Renewable portfolio standards across the U.S. (Source: DSIRE [9])

Figure 2-9 shows the cumulative capacity of wind energy installed in states as of the end of 2013. Texas continued to lead with a total capacity of 12,355 MW installed followed by California with 5,830 MW of cumulative capacity installed. Indiana ranked 13<sup>th</sup> overall with 1,544 MW of cumulative installed capacity at the end of 2013. In terms of wind capacity added in 2012, California led with 288 MW followed by Kansas with 254 MW. Texas, which led in previous years, only added 141 MW in 2013. There was no utility scale wind project completed in Indiana in 2013 [10].



**Figure 2-9:** Wind power capacity by state at the end of 2013 (MW) (Source: U.S. DOE [11])


With regard to the penetration of wind energy as a percent of the total electricity generated in 2013, the leading five states in wind energy penetration in 2013 were Iowa – 27.4 percent; South Dakota – 26 percent; Kansas-19.4 percent; Idaho-16.2 percent; Minnesota – 15.7 percent. Table 2-2 shows the top twenty states in capacity added in 2013, total cumulative capacity, and penetration of wind energy in 2013. The U.S. average penetration was 4.1 percent.

Installed Capacity (MW)				Percentage of In-State Generation	
Annual (2013)		Cumulative (end of 2013)		Actual (2013)*	
California	269	Texas	12,354	Iowa	27.4%
Kansas	254	California	5,829	South Dakota	26.0%
Michigan	175	Iowa	5,177	Kansas	19.4%
Texas	141	Illinois	3,568	Idaho	16.2%
New York	84	Oregon	3,153	Minnesota	15.7%
Nebraska	75	Oklahoma	3,134	North Dakota	15.6%
Iowa	45	Minnesota	2,987	Oklahoma	14.8%
Colorado	32	Kansas	2,967	Colorado	13.8%
Ohio	3	Washington	2,808	Oregon	12.4%
Massachusetts	3	Colorado	2,332	Wyoming	8.4%
Alaska	3	New York	1,722	Texas	8.3%
North Dakota	2	North Dakota	1,681	Maine	7.4%
Indiana	1	Indiana	1,544	California	6.6%
Puerto Rico	1	Wyoming	1,410	Washington	6.2%
		Pennsylvania	1,340	New Mexico	6.1%
		Michigan	1,163	Montana	6.0%
		Idaho	973	Hawaii	5.1%
		South Dakota	783	Nebraska	4.8%
		New Mexico	778	Illinois	4.7%
		Montana	645	Vermont	3.4%
<i>Rest of U.S.</i>	0	<i>Rest of U.S.</i>	4,762	<i>Rest of U.S.</i>	0.8%
<b>TOTAL</b>	<b>1,087</b>	<b>TOTAL</b>	<b>61,110</b>	<b>TOTAL</b>	<b>4.1%</b>

**Table 2-2:** U.S. wind power rankings: Top 20 states (Source: EERE [7])

The U.S. has significant wind energy potential. The National Renewable Energy Laboratory estimates that the potential rated capacity that could be installed on available windy land areas across the U.S. is approximately 11 million MW, and the annual wind energy that could be generated from these potential installed capacities is approximately 39 million gigawatt hours (GWh). This is more than nine times the electricity generated from all sources in the U.S. in 2013. Figure 2-10 shows the distribution of the wind resource [12, 13].

United States - Land-Based and Offshore Annual Average Wind Speed at 80 m




**Figure 2-10:** 80-meter U.S. wind resource map (Source: NREL [14])

As can be seen in Figure 2-10 there is an abundance of wind energy resources along the U.S. coast lines and in the Great Lakes. Offshore winds tend to be of higher speed and steadier with less ground interference. So far there has been no offshore wind energy project established in the U.S. The proposed 1,500 MW Cape Wind Project in Cape Cod, Massachusetts is expected to begin construction in 2014 after over ten years of vigorous opposition. According to the company website [15] all the necessary permits have been obtained, power purchase agreements for 77.5% of the project output have been signed and the final arrangements for the financing of the project are expected to be completed during the second half of 2014. In addition to resistance from local communities as demonstrated by the Cape Wind project, other factors hindering the development of offshore wind energy include its relatively higher cost and the technical challenges associated with installing wind turbines in a marine environment and connecting the electricity to the on-shore power grid.

The federal government, in a combined effort between DOE and the U.S. Department of the Interior, is trying to lower these barriers and expedite the deployment of substantial offshore wind generation. This effort is explained in *A National Offshore Wind Strategy: Creating an Offshore Wind Energy Industry in the United States* released in February 2012 [16].

## 2.4 Wind energy in Indiana

Like the rest of the U.S., Indiana experienced rapid growth of wind generation capacity in 2008 and 2009. The 907 MW annual capacity addition in 2009 fell to additions of 300 MW in 2010 and virtually no capacity additions in 2011 outside small, stand-alone community wind turbines. Figure 2-11 shows the annual and cumulative capacity additions in Indiana. The 203 MW shown for 2012 reflects the completion of the 200 MW Wildcat wind farm in Madison and Tipton counties and three 1 MW projects at schools in Howard, Pulaski and Newton Counties. The 1.01 MW installed in 2013 consists of a 900 kW project at the Shenandoah School Corporation in Henry County, a 100 kW project at Taylor University and a 10 kW project at Goshen College.



**Figure 2-11: Annual wind energy capacity installation in Indiana** (Data source: IURC, DOE [17- 20])

Table 2-3 shows a list of utility scale wind farms in Indiana. It includes the ten operational wind farms with a combined capacity of 1,537 MW. Six additional wind farms with a combined capacity of 968 MW have been approved for construction by the Indiana Regulatory Commission (IURC).

Project Name	Counties	Capacity (MW)	Developer	Date Completed	Wind Purchaser
Benton County Wind Farm	Benton	131	Orion	2008	Duke (101 MW) Vectren (30 MW)
Fowler Ridge I Wind Farm	Benton	301	BP/Dominion	2009	I&M (100 MW), Dominion (201 MW)
Fowler Ridge II-A Wind Farm	Benton	200	BP/Sempra	2009	AEP (50x3 MW), Vectren (50 MW)
Fowler Ridge III Wind Farm	Benton	99	BP/Sempra	2009	AEP Appalachian (99 MW)
Hoosier Wind Farm	Benton	106	enXco	2009	IPL (106 MW)
Meadow Lake Wind Farm I	White	200	Horizon (EDP)	2009	Wholesale market COMED (50 MW)
Meadow Lake Wind Farm II	White	99	Horizon (EDP)	2010	Wholesale market COMED (25 MW) Ameren (25 MW)
Meadow Lake Wind Farm III	White	104	Horizon (EDP)	2010	Wholesale market Ameren (25 MW)
Meadow Lake Wind Farm IV	White	99	Horizon (EDP)	2010	Wholesale market Ameren (25 MW)
Wildcat Wind Farm I	Madison/ Tipton	200	E.ON	2012	Wholesale market I&M (100 MW)

### Proposed Projects

Meadow Lake Wind Farm V	White	101	Horizon (EDP)	Construction currently suspended
Spartan Wind Farm	Newton	200	Duke Generation Services	Construction not started
Bluff Point	Jay/ Randolph	119	NextEra	Construction not started
Fowler Ridge IV Wind Farm	Benton	150	BP/Sempra	Construction not started
Wildcat Wind Farm II	Grant/ Howard	200	E.ON	Construction not started
Headwaters Wind Farm	Randolph	200	EDP	Construction not started
Purdue Energy Park	Tippecanoe	20	Performance Services	Construction not started

**Table 2-3: Utility Scale Wind Farms in Indiana** (Data source: IURC [20], Performance Services [21])

In addition to the utility scale wind farms, community wind projects have been gaining popularity, especially in schools. Table 2-4 is a list of the community wind projects of which SUFG was aware at the writing of this report.

Project Name	County	Capacity (kW)	Developer	Date Completed
Randolph Eastern School Corporation	Randolph	1,000	Performance Services	2009
Union City	Randolph	1,000	Performance Services	2009
Tippecanoe Valley Schools	Kosciusko	900	Performance Services	2010
Lafayette CityBus	Tippecanoe	300	Cascade Renewable	2011
North Newton School Corporation	Newton	900	Performance Services	2012
West Central School Corporation	Pulaski	900	Performance Services	2012
Northwestern School Corporation	Howard	900	Performance Services	2012
Taylor University	Grant	100	ECI Wind and Solar	2013
Goshen College	Elkhart	10	Performance Services	2013
Shenandoah School Corporation	Henry	900	Performance Services	2013

**Table 2-4:** Community wind projects in Indiana (Data source: [17-19])


Indiana utilities have a total 1,162 MW of wind power contracted on power purchase agreements, 757 MW from wind farms in Indiana and 405 MW from out of state wind farms in Illinois, Iowa, Minnesota and South Dakota. The contracts include 220 MW with two Indiana wind farms which have not yet been constructed. They are a 200 MW contract between Indiana Michigan Power and the Headwaters Wind Farm in Randolph County (expected 12-31-14 commercial date) and two 10 MW contracts totaling 20MW between Duke Energy and Indiana Municipal Power Agency with the Purdue Energy Park in Tippecanoe County. Table 2-5 shows the capacity contracted to Indiana utilities.

Utility	Project	State	Power Purchase Agreement (MW)
Duke Energy	Benton County Wind Farm	Indiana	101
Vectren	Benton County Wind Farm	Indiana	30
Vectren	Fowler Ridge Wind Farm II	Indiana	50
Indiana Michigan	Fowler Ridge Wind Farm I	Indiana	100
Indiana Michigan	Fowler Ridge II Wind Farm	Indiana	50
Indiana Michigan	Wildcat I Wind Farm	Indiana	100
IPL	Hoosier Wind	Indiana	106
IPL	Lakefield Wind	Minnesota	202
NIPSCO	Buffalo Ridge	South Dakota	50
NIPSCO	Barton Wind Farm	Iowa	50
I&M	Headwaters Wind Farm*	Indiana	200
Duke Indiana	Purdue Energy Park*	Indiana	20
Indiana Municipal Power Agency	Purdue Energy Park*	Indiana	20


\*Construction not yet started at time this report was written

**Table 2-5:** Wind energy purchase agreements by Indiana utilities (Data source: IURC [20])

Figure 2-12 shows the distribution of wind energy resources at 100 meters and the location of major transmission lines, the two main factors influencing the location of utility scale wind farms while Figure 2-13 shows the distribution of the wind resource at 50m, a height at which smaller scale community wind projects operate.



**Figure 2-12: Indiana wind speed at 100 meters height (Source: OED/NREL [22])**



**Figure 2-13:** Indiana wind speed at 50 meters height (Source: OED/NREL [22])

## 2.5 Incentives for wind energy

The following federal and state incentives are available for wind energy projects.

### Federal Incentives

- Renewable Electricity Production Tax Credit (PTC) credits wind energy producers with 2.3 cents/kWh during the first ten years of operation. The PTC was modified in 2009 to allow producers who would qualify for the PTC to opt to take the federal business energy investment tax credit (ITC). The PTC expired in December 2013. However projects under construction in 2014 are eligible for the credit if they began construction by December 31, 2013 [9].
- U.S. DOE Loan Guarantee Program (Section 1703, Title IV of Energy Policy Act (EPAct) of 2005 provides loan guarantees for large scale innovative renewable energy projects that reduce the emission of pollutants, including renewable energy projects. The program focuses on large scale projects costing over \$25 million. A supplementary loan guarantee program authorized by the American Recovery and Reinvestment Act of 2009 under Section 1705 of EPAct expired in 2011 [9].
- Business Energy Investment Tax Credit (ITC) credits up to 30 percent of expenditures, with no maximum credit, on qualifying wind energy installations. Eligible small wind property includes wind turbines up to 100 kW in capacity [9].
- Modified Accelerated Cost-Recovery System (MACRS) + Bonus Depreciation allows businesses to recover investments in qualified renewable energy technologies through depreciation deductions. A provision for a 50 percent first year bonus depreciation added by the Economic Stimulus Act of 2008 expired in 2013 [9].
- Rural Energy for America Program (REAP) promotes energy efficiency and renewable energy for agricultural producers and rural small businesses through the use of grants and loan guarantees for energy efficiency improvements and renewable energy systems. The program covers up to 25 percent of costs [9].
- Qualified Energy Conservation Bonds (QEBCs) are qualified tax credit bonds that are allocated to each state based upon the state's percentage of the U.S. population. The states are then required to allocate a certain percentage to "large local governments." Qualified energy conservation projects include renewable energy production projects [9].
- High Energy Cost Grant Program administered by USDA is aimed at improving the electricity supply infrastructure in rural areas having home energy costs exceeding 275 percent of the national average. Eligible infrastructure includes renewable resources generation. The individual grants range from \$20,000 to \$3 million [9, 23].

- Residential Renewable Energy Tax Credit allows taxpayers to claim 30 percent of their qualifying expenditures on installation of renewable energy technologies including solar electric systems, solar water heaters, wind turbines and geothermal heat pumps [9].
- Green Power Purchasing Goal requires 20 percent of energy used by federal agencies must be obtained from renewable resources by 2020 [9].

## Indiana Incentives

- Net Metering Rule allows utility customers with renewable resource facilities having a maximum capacity of 1 MW to receive a credit for net excess generation in the next billing cycle [9].
- Clean Energy Credit Program (Energy Efficiency and Renewable Energy Set-aside) allocates nitrogen oxides (NOx) allowances for renewable energy and energy efficiency projects that displace utility electricity generation. These NOx credits can then be traded in the regional NOx market that covers 21 states in the eastern United States. One NOx allowance is allocated for each ton of NOx emissions displaced. Several projects may be combined in one application to meet the one ton minimum requirement [24, 25].
- Renewable Energy Property Tax Exemption provides property tax exemptions for solar thermal, PV, wind, hydroelectric and geothermal systems [9].
- Community Conservation Challenge Grant provides \$25,000-\$250,000 in grants for community energy conservation projects located in Indiana using commercially-available technologies. Projects include improving energy efficiency, renewable energy, reduction in energy demand or fuel consumption, and energy recycling [9, 26].
- Sales and Use Tax Exemption for Electrical Generating Equipment exempts transactions involving manufacturing machinery, tools, and equipment used for the production of tangible personal property, which includes electricity, from state gross retail tax. However, only wind energy has clearly specified rules from the Department of Revenue [9].
- Clean Energy Portfolio Goal sets a voluntary goal of obtaining 4 percent between 2013 and 2018, 7 percent between 2019 and 2024, and 10 percent by 2025, of electricity from clean energy sources based on 2010 retail sales. Participation in the goal makes utilities eligible for incentives that can be used to pay for the compliance projects [27].

## 2.6 References

1. Alternative Energy News.  
<http://www.alternative-energy-news.info/technology/wind-power/wind-turbines/>
2. Wind Powering America. NREL. Wind energy update, January 2012.  
[http://www.windpoweringamerica.gov/pdfs/wpa/wpa\\_update.pdf](http://www.windpoweringamerica.gov/pdfs/wpa/wpa_update.pdf)
3. Renewable Energy Research Laboratory. University of Massachusetts at Amherst.  
Wind power: Capacity factor, intermittency, and what happens when the wind doesn't blow?  
[http://www.umass.edu/windenergy/publications/published/communityWindFactSheets/RE RL\\_Fact\\_Sheet\\_2a\\_Capacity\\_Factor.pdf](http://www.umass.edu/windenergy/publications/published/communityWindFactSheets/RE RL_Fact_Sheet_2a_Capacity_Factor.pdf)
4. Renewable Resource Data Center. NREL. Wind energy resource atlas of the United States. [http://rredc.nrel.gov/wind/pubs/atlas/appendix\\_A.html#wind](http://rredc.nrel.gov/wind/pubs/atlas/appendix_A.html#wind)
5. Renewable Resource Data Center. NREL. Wind energy resource atlas of the United States, Table 1-1. <http://rredc.nrel.gov/wind/pubs/atlas/tables/1-1T.html>
6. U.S. Energy Information Administration (EIA). Updated capital cost estimates for utility scale electricity generation plants. April 2013.  
[http://www.eia.gov/forecasts/capitalcost/pdf/updated\\_capcost.pdf](http://www.eia.gov/forecasts/capitalcost/pdf/updated_capcost.pdf)
7. Department of Energy Office of Energy Efficiency and Renewable Energy (EERE). 2013 Wind technologies market report.  
<http://energy.gov/eere/wind/downloads/2013-wind-technologies-market-report>
8. AWEA. U.S. Wind industry first quarter 2014 market report.  
[awea.files.cms-plus.com/FileDownloads/pdfs/1Q2014%20AWEA%20Public%20Report.pdf](http://awea.files.cms-plus.com/FileDownloads/pdfs/1Q2014%20AWEA%20Public%20Report.pdf)
9. Database of State Incentives for Renewables & Efficiency (DSIRE).  
<http://www.dsireusa.org/>
10. U.S. Department of Energy, Wind Powering America. Installed wind capacity by state  
[apps2.eere.energy.gov/wind/windexchange/docs/installed\\_wind\\_capacity\\_by\\_state.xls](http://apps2.eere.energy.gov/wind/windexchange/docs/installed_wind_capacity_by_state.xls)
11. U.S. DOE, Wind Powering America. Installed Wind Capacity 2013.  
[http://www.windpoweringamerica.gov/wind\\_installed\\_capacity.asp](http://www.windpoweringamerica.gov/wind_installed_capacity.asp)
12. NREL. Estimates of windy land area and wind energy potential, by State, for areas >= 30% capacity factor at 80m.  
[apps2.eere.energy.gov/wind/windexchange/docs/wind\\_potential\\_80m\\_30percent.xlsx](http://apps2.eere.energy.gov/wind/windexchange/docs/wind_potential_80m_30percent.xlsx)
13. EIA. May 2014 Electric Power Monthly Table 1.1.  
[http://www.eia.gov/electricity/monthly/epm\\_table\\_grapher.cfm?t=epmt\\_1\\_1](http://www.eia.gov/electricity/monthly/epm_table_grapher.cfm?t=epmt_1_1)
14. NREL. Wind maps. <http://www.nrel.gov/gis/wind.html>
15. Cape Wind. <http://www.capewind.org/>
16. EERE. A national offshore wind strategy: creating an offshore wind industry in the United States. [http://www1.eere.energy.gov/wind/pdfs/national\\_offshore\\_wind\\_strategy.pdf](http://www1.eere.energy.gov/wind/pdfs/national_offshore_wind_strategy.pdf)
17. Cascade Renewable Energy. CityBus Headquarters Wind Project.  
<http://www.cascaderenewableenergy.com/projects/citybus-wind1>
18. Performance Services Corporation.  
[http://www.performanceservices.com/services/wind\\_power/Community\\_wind\\_project](http://www.performanceservices.com/services/wind_power/Community_wind_project)
19. DOE, Wind Powering America Program. School wind project locations.  
<http://www.windpoweringamerica.gov/schools/projects.asp>
20. George Stevens. Indiana Utility Regulatory Commission.

21. Performance Services.  
[www.performanceservices.com/files/Project%20Profiles/PEP\\_Project%20Profile%204-2013.pdf](http://www.performanceservices.com/files/Project%20Profiles/PEP_Project%20Profile%204-2013.pdf)
22. Indiana Office of Energy Development. Indiana wind maps & reports.  
<http://www.in.gov/oed/2425.htm>
23. U.S. Department of Agriculture, Rural Development. Grants  
[http://www.rurdev.usda.gov/UEP\\_Our\\_Grant\\_Programs.html](http://www.rurdev.usda.gov/UEP_Our_Grant_Programs.html)
24. Indiana Department of Environmental Management. Clean Energy Credit.  
<http://www.in.gov/idem/airquality/2553.htm>  
[www.in.gov/oed/files/Presentation\\_Letterman.ppt](http://www.in.gov/oed/files/Presentation_Letterman.ppt)
25. U.S. Environmental Protection Agency (EPA). State incentives for clean and renewable energy. [www.epa.gov/renewableenergyland/incentives/in\\_incentives.pdf](http://www.epa.gov/renewableenergyland/incentives/in_incentives.pdf)
26. Indiana Office of Energy Development. Community Conservation Challenge.  
<https://secure.in.gov/oed/2645.htm>
27. Indiana's CHOICE Program. <http://www.in.gov/oed/2649.htm>



# 3. Dedicated Energy Crops

---

## 3.1 Introduction

This section discusses biomass in the form of crops grown exclusively for use as a source of energy. Biomass in the form of organic wastes and residues as sources of energy is presented in the section that follows (Section 4).

Unlike the use of organic wastes as an energy source, the dedicated energy crop industry in the U.S. is still in its infancy. A substantial federally-driven research and development effort is under way as part of the national effort to reduce dependence on imported oil. This research effort is detailed in the DOE report titled *U.S. Billion-Ton Update: Biomass Supply for a Bioenergy and Bioproducts Industry* [1]. Biomass is unique among renewable resources in that it can also be used as feedstock to produce liquid transportation fuels and industrial chemicals, with the potential to reduce the nation's current dependence on petroleum. This characteristic is the primary motivation behind the federally-driven research on energy crops and organic waste biomass [2]. The crops being considered and developed as dedicated energy crops can be grouped into three main categories – perennial grasses, woody crops and annual crops.

Perennial grasses include switchgrass, big bluestem, Indian grass, miscanthus and sugarcane. Switchgrass, big bluestem, and Indian grass are perennial grasses that are native to North America. They are already grown in a wide range of habitats and climates for pasture, hay production, soil and water conservation, and for wildlife habitat. With proper management they can remain productive for as long as ten years. Figure 3-1 shows switchgrass in the University of Vermont extension program.

The Giant Miscanthus hybrid was developed in Japan and introduced to the U.S. as a landscape plant. The main attraction of Giant Miscanthus as an energy crop is its high level of biomass production. While a great deal of research has been done establishing its potential as an energy crop, there are still barriers to overcome before it can enter large scale commercial production. They include the development of low-cost reliable propagation methods since it is a seedless sterile hybrid. In addition there is still work to be done to identify varieties suited to given regions of the country.



**Figure 3-1: Switchgrass** (Source: FarmEnergy [3])

Sugarcane is attractive as an energy crop primarily due to its ability to store sugar (sucrose) in its stem. In addition, sugarcane ethanol is used as a fuel and is recognized to cut greenhouse gas emissions more than any other biofuel. However, sugarcane is a tropical crop and significant research is still to be done to develop varieties that do well in temperate climates.

Woody crops being developed as energy crops include poplars, willows, eucalyptus and southern pines. Poplars are well established trees native to North America. There are already commercial plantations of hybrid poplars (cottonwood) for the production of fiber, biofuels and for environmental remediation. High rates of biomass productivity, ease of propagation and management are cited as factors that make poplar attractive as an energy crop. The characteristics that make willows desirable as energy crops include high yields, ease of propagation and high energy content. Eucalyptus is being developed for the southern United States where it is grown for lumber. It has been grown commercially for lumber in Florida since the 1960s.

Southern pines are already one of the main contributors to bioenergy in the United States. Their barks and the paper processing byproduct *black liquor* are used to produce energy in pulp and paper mills. The ability to grow rapidly in a wide range of sites have made the southern pine the most important and widely cultivated timber species in the U.S., mainly for lumber and pulpwood.

The one annual crop being developed as an energy crop is sorghum. According to the DOE Biomass Program, although perennial crops are considered better than annual crops for energy production sustainability purposes, an annual crop serves well as a bridge for a new bioenergy processing facility as it awaits the establishment and full productivity of perennial crops. The factors that make sorghum attractive as an energy crop include its composition and high yield potential, drought resistance, water use efficiency, established production systems, and potential for genetic improvement [1].

Biomass, including energy crops, can be converted into energy in the following ways:

- In direct combustion the biomass is burned directly in a boiler to produce steam that can then be used to drive a turbine to generate electricity. Combustion can be done either in a dedicated biomass-only boiler or cofired with other fuels such as coal. Cofiring of biomass in coal boilers has the advantage of lowering the emission of sulfur oxides (SO<sub>x</sub>), nitrogen oxides (NO<sub>x</sub>) and net lifecycle carbon. However, the widespread application of cofiring with coal has been hindered by the occurrence of alkali deposits that cause slag and corrosion in boiler heat transfer surfaces in the coal boilers [4].
- In biochemical conversion processes the biomass material is broken down into sugars using either enzymes or chemical processes. These sugars are then fermented to make ethanol [5].
- In thermochemical conversion heat is used to break down the biomass material into intermediate products (synthetic gas) which can then be converted into fuels using heat, pressure and catalysts. Two common thermochemical processes are gasification and pyrolysis. Gasification is a high temperature conversion of solids into a flammable mixture of gases. Pyrolysis is a process of thermal decomposition of biomass at high temperatures in the absence of oxygen into charcoal, bio-oil and synthetic gas [6].

To take full advantage of the strengths of the different biomass-to-energy conversion processes, the DOE Biomass Program is funding the construction of integrated biorefineries that combine all processes in one plant and produce multiple products. By producing multiple products, the integrated biorefineries, like refineries in the petroleum industry, will be able to take advantage of the differences in feedstocks and intermediate products to maximize the value obtained from the biomass feedstock.

There are currently 25 DOE funded integrated biorefinery related projects spread across the United States working to develop the various bio-processing technologies needed.

Fifteen of these are small scale pilot projects with a capacity of one dry metric ton of biomass per day. These pilot plants screen and validate promising bio-processing technologies. Four of the biorefineries are demonstration plants where the technologies validated at the pilot plants are scaled up to produce at the scale of 10 to 50 dry metric tons of feedstock a day. The technologies validated at the pilot scale will then be scaled up to commercial level at the four “pioneer” plants that are currently under construction. Table 3-1 is list of integrated biorefinery projects [7].

Project	Location	Scale	Conversion Technology
Abengoa	Hugoton, KS	Pioneer	Biochemical
INEOS Bio/New Planet Bioenergy	Vero Beach, FL	Pioneer	Hybrid
Mascoma	Kinross, MI	Pioneer	Biochemical
POET/DSM Advanced Biofuels	Emmetsburg, IA	Pioneer	Biochemical
Myriant	Lake Providence, LA	Demo	Biochemical
Red Shield Acquisition	Old Town, ME	Demo	Biochemical
Sapphire Energy	Columbus, NM	Demo	Algae
Verenium	Jennings, LA	Demo	Biochemical
Algenol Biofuels	Fort Myers, FL	Pilot	Algae
American Process (API)	Alpena, MI	Pilot	Biochemical
Amyris	Emeryville, CA	Pilot	Biochemical
Archer Daniels Midland	Decatur, IL	Pilot	Biochemical
Bioprocess Algae	Shenandoah, IA	Pilot	Algae
Frontline	Ames, IA	Pilot	Gasification
Haldor Topsoe	Des Plaines, IL	Pilot	Thermo - Gasification
ICM	St. Joseph, MO	Pilot	Biochemical
Logos/Edeniq Technologies	Visalia, CA	Pilot	Biochemical
Mercurius	Ferndale, WA	Pilot	Hybrid
Renewable Energy Institute International	Toledo, OH	Pilot	Thermo - Gasification
Rentech ClearFuels	Commerce City, CO	Pilot	Thermo - Gasification
Solazyme	Peoria, IL	Pilot	Algae
UOP, LLC	Kapolei, HI	Pilot	Thermo - Pyrolysis
ZeaChem	Boardman, OR	Pilot	Thermo - Pyrolysis
Elevance	Newton, IA	Design	Hybrid
Gas Technology Institute	Des Plaines, IL	Design	Thermo - Pyrolysis

**Table 3-1:** DOE funded integrated biorefinery projects (Data source: DOE [7])

### 3.2 Economics of energy crops

For large scale production of dedicated energy crops to occur, the price and profitability of the energy crops will have to be competitive with the current crops and other cropland uses. DOE, in the *Billion-Ton Update* report, used the U.S. agricultural sector simulation model (POLYSYS) to estimate the quantities of the various energy crops that would be produced at

various prices. The POLYSYS model is a detailed model of the U.S. agricultural sector that includes crop supply at the county level, national crop demand and prices, national livestock demand and prices, and agricultural income.


Three types of energy crops are modeled in the POLYSYS simulation for the results presented in the *Billion-Ton Update* report – a perennial grass, an annual energy crop and two types of short rotation woody crops, one that is rotated by coppicing<sup>6</sup> (e.g. willows) and one by other non-coppicing methods (e.g. poplars). The perennial grass and the non-coppicing woody crop were modeled for 10 year rotations and the coppicing wood for 20 year rotations with cuttings every 4 years.

Figure 3-2 shows the quantities of the three energy crops expected to be produced at farm-gate prices \$40, \$50 and \$60 per dry ton<sup>7</sup> in 2017, 2022 and 2030. Figure 3-3 shows the supply curves for total quantity of energy crop, i.e. all energy crops combined, expected to be produced in 2017, 2022, and 2030. According to the *Billion-Ton Update* report the projected total biomass production (energy crops, agricultural and forest residues, and dual use crops) at \$60 per dry ton is adequate to meet both the mandate of the Renewable Fuel Standard (36 billion gallons of biofuels by 2022) and the “billion-ton” goal of replacing 30 percent of U.S. petroleum consumption by 2030.


---

<sup>6</sup> Coppicing is a method of woody crop management that takes advantage of the property that some plants such as willows have where new growth occurs from the stump or roots when the plant is cut down.

<sup>7</sup> Dry ton is the weight in tons of the biomass material after all the moisture has been removed.



**Figure 3-2: Potential production of energy crops at various years and farm-gate prices**  
 (Source: DOE [1])



**Figure 3-3: Supply curves for all energy crops at selected years** (Source: DOE [1])

## Corn and soybean use for biofuel production

Although corn and soybeans do not meet the strict definition of dedicated energy crops, they are included in this section in recognition of their being the largest source of renewable energy in Indiana. The ethanol and diesel biofuels experienced a rapid expansion in the mid-2000s. Before 2007 Indiana's ethanol production capacity consisted of one plant with a capacity of 100 million gallons per year (MGY). Since then twelve corn-ethanol plants with a combined capacity of 1,088 MGY have been constructed, bringing the total corn-ethanol capacity to 1,188 MGY. Towards the end of the 2000s the production of corn ethanol started outpacing the demand due to the weakened demand for gasoline associated with the recession. This has resulted in the idling and shutting down of ethanol plants in Indiana and all across the U.S. Among those plants in Indiana idled or shut down include the lone pre-2007 New Energy Corporation plant in South Bend (100 MGY). The other two are the Valero Energy plant in Linden (100 MGY) and the Aventine Renewable plant in Mount Vernon (220 MGY). The capacity of the remaining ten active corn ethanol plants is 768 MGY. Table 3-2 shows the location and capacities of ethanol plants in Indiana.

Table 3-3 shows the location and capacities of the three Indiana biodiesel plants. One of them, the E-biofuels plant in Middletown is currently not producing, leaving a total 93 MGY biodiesel capacity currently operational in Indiana in two plants.

The following factors account for the biofuel plant construction in the U.S. since 2005.

- The use of corn-ethanol as an oxygenating additive in gasoline in place of the chemical MTBE. The shift from MTBE was due to its being associated with ground water pollution. The replacement of MTBE was mandated both by states and the 2005 Energy Policy Act [8].
- The enactment of the renewable fuel standard under the 2005 Energy Policy Act that required that 7.5 billion gallons of renewable fuel must be blended into gasoline by 2012. This has since been expanded to a requirement of 36 billion gallons of renewable fuel by 2022 (15 billion gallons from corn-ethanol and the balance from advanced biofuels) [9].
- The enactment of the volumetric ethanol excise tax credit (VEETC) in 2004 improved the cost competitiveness of corn-ethanol with gasoline and provided long-term protection for corn-ethanol producers against price volatility in the transportation fuel market. The VEETC allowed for a 45 cents/gallon tax credit to be given to individuals who produce the mixture of gasoline and ethanol. This tax credit expired at the end of 2011.

Company	Year	Town/County	Current Capacity (MGY*)
New Energy Corp (no longer producing)	1985	South Bend/St. Joseph	100 (potential when producing)
Central Indiana Ethanol	2007	Marion/Grant	40
Iroquois Bio-Energy Co.	2007	Rensselaer/Jasper	40
POET Biorefining	2007	Portland/Jay	65
The Andersons	2007	Clymers/Cass	110
Valero Energy (no longer producing)	2007	Linden/Montgomery	100 (potential when producing)
POET Biorefining	2011	Cloverdale/Putman	90
Cardinal Ethanol	2008	Harrisville/Randolph	100
Indiana Bio-Energy	2008	Bluffton/Wells	110
POET Energy	2008	Alexandria/Madison	60
POET Energy	2008	North Manchester/Wabash	65
Abengoa Bioenergy Indiana	2009	Mt. Vernon/Posey	88
Aventine Renewable (no longer producing)	2011	Mt. Vernon/Posey	220 (potential when producing)

\*MGY denotes million gallons per year.


**Table 3-2: Ethanol plants in Indiana** (Source: Indiana State Department of Agriculture (ISDA) [10])

<b>Biodiesel plant Name</b>	<b>Year</b>	<b>Town/County</b>	<b>Estimated Capacity (MGY)</b>
E-biofuels (not producing)	2007	Middletown/Henry	10
Integrity Biofuels	2006	Morristown/Shelby	5
Louis Dreyfus	2007	Claypool/Kosciusko	88

**Table 3-3: Biodiesel plants in Indiana** (Data source: ISDA [10])

### 3.3 State of energy crops nationally

As discussed previously, the energy crop industry is still in its infancy with a substantial research and development effort under way to establish a sustainable supply of biomass to satisfy the Renewable Fuel Standard mandate of 36 billion gallons of biofuels for the transportation industry per year by 2022 and also increase electricity generation from biomass. As part of this research, DOE has partnered with universities, national laboratories and the U.S. Department of Agriculture to establish a *Regional Biomass Feedstock Partnership* to conduct research, development and outreach at the regional level to address the barriers associated with the effort to establish a sustainable bioenergy industry. Figure 3-4 shows the biomass feedstock field trial locations established by the *Regional Biomass Feedstock Partnership*.




**Figure 3-4:** 2011 Bioenergy crop trial stations (Source DOE [11])

In addition to the field test sites the *Regional Biomass Feedstock Partnership* is also involved in education and outreach efforts to farmers and other stakeholders to prepare them for a future where energy crops are a substantial portion of the agricultural industry. The lead institutions for the five regions in the program are: South Dakota State University in the North Central region, Oregon State University in the Western region, Oklahoma State University in the South Central region, Cornell University in the Northeast, and University of Tennessee in the Southeast region [12].


### 3.4 Energy crops in Indiana

The results from the DOE *Billion-Ton* model show Indiana and other corn-belt states such as Iowa and Illinois being major producers of agricultural crop residues such as corn stover and only a limited amount of energy crops. Figure 3-5 shows the projected pattern of biomass feedstock production by the year 2030 at biomass farm-gate price of \$60 per dry ton.



**Figure 3-5:** Estimated shares of energy crops and agricultural residues supplied at \$60 per dry ton in 2030 (Source: DOE [1])

Figure 3-6 shows the quantities of energy crops projected to be produced in Indiana in 2030 at a biomass farm-gate price of \$50, \$60, \$70 and \$80 per dry ton. At a biomass price of \$60 per dry ton, Indiana's projected production of all energy crops combined is 1.5 million dry tons. In comparison, the amount of agricultural residue biomass produced at \$60 per dry ton in 2030 is projected to be 9 million dry tons. As can be seen in the figure, perennial grasses are the preferred energy crop in Indiana, followed by woody crops. At prices above \$70 per dry ton some annual crops (e.g., sorghum) enter into the crop mix.



**Figure 3-6:** Projected production of energy crops in Indiana in 2030 (Data source: DOE [13])

In an April 2008 working paper, Brechbill and Tyner of Purdue's Agricultural Economics Department did an extensive study of the estimated cost of producing switchgrass and harvesting corn stover for the energy industry. Table 3-4 shows the average cost of producing switchgrass given in this study. The table includes the farmer's choice to either: purchase and own the harvesting equipment or hire the services of a specialized custom operator.

	<b>500 acre farm</b>	<b>1,000 acre farm</b>	<b>1,500 Acre farm</b>	<b>2,000 acre farm</b>
Custom hired equipment	\$53.23	\$53.23	\$53.23	\$53.23
Owned equipment	\$54.54	\$52.43	\$51.73	\$51.38

**Table 3-4:** Average cost (\$/ton) for producing switchgrass in Indiana (Data source: Brechbill & Tyner [14])

Allen, in his December 2011 Master Thesis, estimated the cost of producing and transporting biomass from woody crops to be between \$43 and \$52 per dry ton [15].

### 3.5 Incentives for energy crops

The following incentives have been available to assist in the use of energy crops.

#### Federal Incentives

- Renewable Electricity Production Tax Credit (PTC) provides a 2.3 cents/kWh tax credit for closed-loop biomass and 1.1 cents/kWh for open-loop biomass, landfill gas municipal solid waste energy technologies. Dedicated energy crops fall under the closed loop biomass category. The PTC expired in December 2013. However projects under construction in 2014 are eligible for the credit if they began construction by December 31, 2013 [16].
- Modified Accelerated Cost-Recovery System (MACRS) + Bonus Depreciation allows businesses to recover investments in qualified renewable energy technologies through depreciation deductions. A provision for a 50 percent first year bonus depreciation added by the Economic Stimulus Act of 2008 expired in 2013 [16].
- Rural Energy for America Program (REAP) promotes energy efficiency and renewable energy for agricultural producers and rural small businesses through the use of grants and loan guarantees for energy efficiency improvements and renewable energy systems. The program covers up to 25 percent of costs [16]
- Qualified Energy Conservation Bonds (QECBs) are qualified tax credit bonds that are allocated to each state based upon the state's percentage of the U.S. population. The states are then required to allocate a certain percentage to "large local governments." In February 2009, these funds were expanded to \$3.2 billion [16].
- High Energy Cost Grant Program administered by the U.S. Department of Agriculture (USDA) is aimed at improving the electricity supply infrastructure in rural areas having home energy costs exceeding 275 percent of the national average. Eligible infrastructure includes renewable resources generation. The individual grants range from \$20,000 to \$3 million [16].
- Green Power Purchasing Goal requires 20 percent of energy used by federal agencies must be obtained from renewable resources by 2020 [16].

#### Indiana Incentives

- Net Metering Rule allows utility customers with renewable resource facilities with a maximum capacity of 1 MW to receive a credit for net excess generation in the next billing cycle [16].
- Clean Energy Credit Program (Energy Efficiency and Renewable Energy Set-aside) allocates nitrogen oxides (NOx) allowances for renewable energy and energy efficiency

projects that displace utility electricity generation. These NOx credits can then be traded in the regional NOx market that covers 21 states in the eastern United States. One NOx allowance is allocated for each ton of NOx emissions displaced. Several projects may be combined in one application to meet the one ton minimum requirement [17, 18].

- Community Conservation Challenge Grant provides \$25,000-\$250,000 in grants for community energy conservation projects located in Indiana using commercially-available technologies. Projects include improving energy efficiency, renewable energy, reduction in energy demand or fuel consumption, and energy recycling [16, 19]
- Sales and Use Tax Exemption for Electrical Generating Equipment exempts transactions involving manufacturing machinery, tools, and equipment used for the production of tangible personal property, which includes electricity, from state gross retail tax. However, only wind energy has clearly specified rules from the Department of Revenue [16].
- Clean Energy Portfolio Goal sets a voluntary goal of obtaining 4 percent between 2013 and 2018, 7 percent between 2019 and 2024, and 10 percent by 2025, of electricity from clean energy sources based on 2010 retail sales. Participation in the goal makes utilities eligible for incentives that can be used to pay for the compliance projects [16].

### 3.6 References

1. U.S. Department of Energy (DOE) 2011. U.S. Billion-Ton Update: Biomass Supply for a Bioenergy and Bioproducts Industry. R.D. Perlack and B.J. Stokes (Leads), ORNL/TM-2011/224. Oak Ridge National Laboratory, Oak Ridge, TN. 227p.  
[http://www1.eere.energy.gov/bioenergy/pdfs/billion\\_ton\\_update.pdf](http://www1.eere.energy.gov/bioenergy/pdfs/billion_ton_update.pdf)
2. DOE Bioenergy Technologies Office. Reshaping American energy – a look back at BETO’s accomplishments in 2013.  
<http://www.energy.gov/eere/bioenergy/downloads/reshaping-american-energy-look-back-betos-accomplishments-2013>
3. FarmEnergy. <http://farmenergymedia.extension.org/tags/switchgrass>
4. DOE Energy Efficiency and Renewable Energy Office, Klein. Biopower technical strategy workshop summary report.  
<http://www.energy.gov/eere/bioenergy/downloads/biopower-technical-strategy-workshop-summary-report>
5. DOE. Biomass Program. Processing and conversion  
<http://www.energy.gov/eere/bioenergy/processing-and-conversion>
6. NREL. Thermochemical Thermochemical Conversion Capabilities  
[http://www.nrel.gov/biomass/thermochemical\\_conversion.html](http://www.nrel.gov/biomass/thermochemical_conversion.html)
7. EERE. Biomass Program Integrated biorefineries overview.  
<http://www.energy.gov/eere/bioenergy/integrated-biorefineries>  
[http://www1.eere.energy.gov/bioenergy/pdfs/ibr\\_portfolio\\_overview.pdf](http://www1.eere.energy.gov/bioenergy/pdfs/ibr_portfolio_overview.pdf)

8. EIA. U.S. ethanol production and the Renewable Fuel Standard RIN bank  
<http://www.eia.gov/todayinenergy/detail.cfm?id=11551>
9. EPA. Renewable Fuel Standard.  
<http://www.epa.gov/otaq/fuels/renewablefuels/index.htm>
10. Indiana State Department of Agriculture. Fact Sheet: Biofuels plants in Indiana.  
<http://www.in.gov/isda/biofuels/factsheet.pdf>
11. Sun Grant Initiative. <http://www.sungrant.org/Feedstock+Partnerships/Research+Plots/>
12. Sun Grant Initiative. Feedstock partnerships. <http://www.sungrant.org/Regional+Centers/>
13. DOE. Bioenergy Knowledge Discovery Framework. <https://www.bioenergykdf.net/>
14. Brechbill, Sarah and Tyner, Wallace. Department of Agricultural Economics, Purdue University. The economics of biomass collection, transportation, and supply to Indiana cellulosic and electric utility facilities. Working paper #08-03, April 2008.  
<http://www.agecon.purdue.edu/papers>
15. Benjamin W. Allen. An economic and emissions analysis of electricity generation using biomass feedstock in co-fired and direct fired facilities. Master of Science Thesis, Purdue University August 2011.
16. Database of State Incentives for Renewables & Efficiency (DSIRE).  
<http://www.dsireusa.org/>
17. Indiana Department of Environmental Management. Indiana Clean Energy Credit Program. <http://www.in.gov/idem/airquality/2553.htm>  
[www.in.gov/oed/files/Presentation\\_Letterman.ppt](http://www.in.gov/oed/files/Presentation_Letterman.ppt)
18. U.S. Environmental Protection Agency (EPA). State incentives for clean and renewable energy. <http://www.in.gov/idem/airquality/2553.htm>  
[www.epa.gov/renewableenergyland/incentives/in\\_incentives.pdf](http://www.epa.gov/renewableenergyland/incentives/in_incentives.pdf)
19. Indiana Office of Energy Development. Community Conservation Challenge.  
<https://secure.in.gov/oed/2645.htm>



# 4. Organic Waste Biomass

---

## 4.1 Introduction

The previous section (Section 3) presented the use of organic biomass in the form of dedicated energy crops. In this section the use of biomass in the form of organic wastes and residues as a source of renewable energy is discussed. The organic waste biomass in this section is separated into two main categories: that which is in use currently as an energy source and that which is being considered for use in the future. The types of organic waste biomass already in use as energy sources include:

- Residues from the forestry and wood products industry, including material left from logging, residues from the paper and pulp industry and residues from primary wood milling;
- Municipal solid waste (MSW), which is the organic portion of the post-consumer waste collected in community garbage collection services;
- Gas extracted from landfills, which is naturally occurring gas resulting from decomposition of landfill material;
- Livestock manure, mainly from large swine and dairy farms where it is used to produce gas in biodigesters; and
- Municipal wastewater, or sewage, which is used to produce gas in biodigesters.

Organic waste biomass resources that are not yet in large-scale use as energy sources, but are being considered for future use, include:

- Agricultural crop residues, such as stalks, leaves and other material left in the fields when conventional crops such as corn are harvested; and
- Aquatic plants, such as algae that have high oil content that can be converted to biodiesel.

Residues from the forestry and wood products industry and municipal solid waste are typically used to produce electricity and heat. These feedstocks are burned directly in a boiler to produce steam that is used to drive a turbine to generate electricity and/or steam that is used directly for heat.

The other sources of organic waste based energy that are currently in use all take advantage of the production of biogas that contains a significant percentage of methane as the waste breaks down through either natural or managed decay processes. This is the case for landfill gas, livestock manure or municipal waste water that is processed through an anaerobic digester.

Anaerobic digestion of biomass waste consists of a breakdown of organic wastes by microorganisms in an oxygen deficient environment that produces biogas that can be burned as an energy source. The biogas is then burned in a boiler to produce steam that is used to drive a turbine and generate electricity; or is fed directly to a combustion turbine or an internal combustion engine to produce electricity. An additional benefit to generation of electricity from biogas is that it prevents the methane from being emitted into the atmosphere. Because methane is over 20 times more potent than carbon dioxide as a heat trapping greenhouse gas, its conversion to energy provides an added environmental benefit [1].

Biomass, including agricultural crop residues, is expected to play a significant role in the energy supply portfolio in the U.S. in the future. One of the characteristics that make biomass a very attractive source of renewable energy is its ability to be converted both to electricity and to liquid fuels for the transportation industry. Studies have shown that substantial energy resources in the form of biomass from crop residues could be harvested under appropriate economic conditions.

Large scale farming of algae is another area being considered as a potential source of bioenergy. Algae are simple organisms, ranging from microscopic-sized algae to seaweeds that grow to over 100 feet long. Like other plants, they utilize energy from the sun through photosynthesis to convert carbon dioxide from the air into biomass usable for energy production. Algae have several advantages over other biomass as a source of energy and especially in the production of biodiesel. These advantages include [2, 3]:

- Algae grows more rapidly and has higher photosynthetic efficiency than other biomass;
- It has a much higher oil content than other biomass (20 to 80 times more than soybeans);
- It is not a food crop;
- It can be grown in water with very high salt concentration that is not usable for other agriculture;
- It can be grown in otherwise non-arable land such as deserts;
- It has the potential for recycling of CO<sub>2</sub> from fossil fueled power plants; and
- Both biofuels and valuable co-products can be produced from algae.

Algae can be grown in either open ponds or in enclosed bioreactors. Although open pond algae farms are much more cost competitive, they have the disadvantages of being vulnerable to contamination by faster growing native algae, water loss through evaporation and exposure to extreme weather variations. Enclosed bioreactors overcome these drawbacks by growing the algae entirely enclosed in transparent containers of various forms. Not surprisingly, the

enclosed bioreactors' main disadvantage is cost; bioreactors are much more expensive to build than open ponds. One potential application for the use of algae is the coupling of an algae bioreactor with a coal power plant to allow the power plant to provide the carbon dioxide needed for algae growth.

In this way a combined benefit of producing bioenergy while reducing carbon dioxide emissions is achieved. Such an experiment was conducted at the Arizona Public Service Red Hawk power plant in 2006 and 2007 [4].

The production of algae for energy is still in the development stage. According to the DOE algae research program there are major technical hurdles to be overcome before commercial scale energy production from algae is a reality and energy from algae is more of a long term goal [2, 3].

## 4.2 Economics of organic waste biomass

Most of the current waste biomass energy is generated and consumed in the paper and pulp industry where the paper and pulp making byproducts are combusted in combined heat and power plants to supplement the electricity and steam supply of the paper and pulp mills.

Several factors have combined to make the use of these residues and byproducts as an energy source economically attractive at pulp and paper mills. They include:

- The burning of the pulp making residue (black liquor) serves not only to generate energy, but also to recover process chemicals,
- The co-location of electricity and steam demand in the mills greatly increases the efficiency of the energy conversion process, and
- The ability to sell excess generation through either the favorable provisions of Public Utility Regulatory Policies Act of 1978 or more recently through the open transmission access associated with wholesale electricity markets provides a market for times when the plant's generation exceeds internal demand.


In the case of municipal solid waste (MSW), the need to reduce the amount of material going into landfills is the main motivation for building MSW based energy conversion facilities.

Without this motivation MSW Power plants would be hard to justify financially since they are some of the most expensive plants to build and operate. In the 2013 Energy Information Administration (EIA) plant cost estimates, the MSW power plant was listed as having the highest capital cost at over \$8,300/kW among the technologies considered and the highest fixed O&M cost at over \$390/kW [5].

Similarly, other organic waste streams such as animal waste, wastewater treatment and landfills generate methane-rich biogas. The reduction of greenhouse gas emissions is an added benefit to the process of converting the biogas to energy. Further, the energy


conversion efficiency, and therefore economics, can be improved by co-location of both heat and electricity demand. The anaerobic digesters used to produce the biogas in all cases except landfill gas provide a demand for the heat to maintain optimum temperatures for the microorganisms.

Agricultural crop residues are not currently being collected for use as bioenergy feedstock because it is not yet profitable for farmers. However, it is expected that biomass, including agricultural crop residues, will play a substantial role in the national effort to diversify the transportation fuel supply away from petroleum. In 2005 the U.S. Department of Agriculture (USDA) and the U.S. Department of Energy (DOE) issued a joint report from a study investigating the viability of using energy from biomass to replace 30 percent of U.S. petroleum consumption by the year 2030, titled *Biomass Feedstock for a Bioenergy and Bioproducts Industry: the Technical Feasibility of a Billion-Ton Annual Supply* [6], and in 2011 an update to that report and an associated online data base of the results of the study, the *Bioenergy Knowledge Discovery Framework* (KDF) was released. In the 2011 update to this *billion-ton* study the amount of crop residue that would be produced at various farm-gate prices was estimated using the agricultural sector model (POLYSYS). Residue production is estimated in conjunction with energy crop production and other cropland uses to account for the competition between uses for the available cropland. Figure 4-1 shows the total crop residue that would be supplied from 2012 to 2030 at six different farm-gate prices ranging from \$40 to \$60 per dry ton [7].




**Figure 4-1 Supply of crop residues at various prices under DOE base-case assumptions**  
(Source: DOE [7])

Most of the potential crop residue supplied, over 80 percent, is corn stover. Figure 4-2 shows the potential crop residue supplied with corn stover separated from other residues in 2012, 2017, 2022 and 2030 under three different price scenarios.



**Figure 4-2: Corn stover and other grain residue supply at selected prices and years under DOE base-case assumptions** (Source: DOE [7])

In a USDA funded study at Iowa State University published in 2012 [8], the U.S. wide supply curve for corn stover was estimated. Unlike the USDA/DOE *billion-ton* study which estimated the stover price at the farm gate, the price in this study estimates the price at the bioenergy plant gate. That is, it includes the cost of handling, storage and shipping costs associated with getting the stover to the bioenergy processing plant. According to this study the minimum price at which stover would be available for the bioenergy industry is \$37.5 per ton, which is lower than the \$40/ton minimum price modeled for corn stover in the *billion-ton* study. Figure 4-3 shows the U.S. wide corn stover supply curve from the Iowa State University study.




**Figure 4-3:U.S. corn stover supply curve** (Source: USDA [8])

Although the concept of using algae for energy production has been proven at the laboratory level, no commercial scale sustainable production facility has been established. According to the 2010 DOE National Algal Biofuels Technology Roadmap document there was not yet a credible estimate of the cost of algal biofuel. In January 2013 DOE announced a \$24 million research effort to overcome the key hurdles to the commercial production of algae-based biofuels. The funding was awarded to three consortia focusing on three phases of the algal-biofuels supply chain. The *Sustainable Algal Biofuels Consortium*, led by Arizona State University will focus on acceptability of algal biofuels as a substitute for petroleum-based fuels; the *Consortium for Algal Biofuels Commercialization*, led by the University of California will focus on developing algae as a robust feedstock for biofuels production; while the *Cellana LLC Consortium*, led by the Cellana Corporation of Hawaii will focus on large-scale production of fuels and feeds from seawater-based micro-algae [9].

#### 4.3 State of organic waste biomass nationally

Historically organic waste biomass, and in particular residues from the wood products industry, has been one of the main sources of renewable energy in the U.S. As can be seen in Figure 4-4, wood and wood-derived fuels have been second only to hydroelectricity as a source of renewable energy. Until the increase in wind and biofuels in the last decade, wood

and wood-derived fuels comprised nearly half of the renewable energy consumed in the U.S. In 2013 wood and wood-derived fuels supplied 23 percent of the renewable energy while other organic wastes contributed 5 percent. This was second to hydroelectricity's share of 28 percent and slightly higher than biofuels share of 21 percent.



**Figure 4-4:** U.S. renewable energy consumption 1949-2013 (Source: EIA [10, 11])


Although not as large a source as wood and wood-derived fuels, municipal solid waste (MSW) has also been a significant contributor to the nation's renewable energy mix.

According to the U.S. Environmental Protection Agency (EPA), there are 86 municipal solid waste burning power plants operating in the U.S. with a combined electricity generating capacity of 2,720 MW [12]. Table 4-1 shows the locations of MSW energy conversion plants in the U.S. Details about Indiana's one MSW energy conversion facility are given in Section 4.4.

State	Number of facilities
Alabama	1
Alaska	1
California	3
Connecticut	6
Florida	11
Hawaii	1
Indiana	1
Iowa	1
Maine	4
Maryland	3
Massachusetts	7
Michigan	3
Minnesota	9
New Hampshire	2
New Jersey	5
New York	10
North Carolina	1
Oklahoma	1
Oregon	1
Pennsylvania	6
Utah	1
Virginia	5
Washington	1
Wisconsin	2

**Table 4-1:** Operating municipal solid waste energy plants (Data source: Energy Recovery Council [13])

The other organic waste stream in use as a source of energy is landfill gas. According to the EPA there were 594 landfills with operational energy conversion projects as of June 2012 with a combined capacity of 1,813 MW electricity generation and 312 million standard cubic feet per day (mmscfd) of gas for thermal energy production. In addition there were 540 'candidate' landfills that have the size and capacity necessary to support energy projects. These candidate landfills have the potential for 1,212 MW of electricity generation and 590 mmscfd of gas for thermal energy conversion. Figure 4-5 shows the location of operational and candidate landfill gas energy projects in the U.S [14].



Nationwide Summary	
<b>594 OPERATIONAL Projects</b> (1,813 MW and 312 mmscfd)	
<b>~540 CANDIDATE Landfills</b> (1,212 MW or 590 mmscfd, 13 MMTCE Potential)	

**OPERATIONAL PROJECTS**

**CANDIDATE LANDFILLS\***

\* Landfill is accepting waste or has been closed for 5 years or less, has at least 1 mmton of waste, and does not have an operational/under construction LGF energy project; or is designated based on actual interest/planning.

These data are from LMOP's database as of June 28, 2012.

\*\* LMOP does not have any information on candidate landfills in this state.

#### Legend

mmscfd – million standard cubic feet per day; MMTCE – million metric tons of carbon equivalent

**Figure 4-5: Landfill gas projects (Source: EPA [14])**

Livestock manure is in use currently as an energy source with 239 anaerobic digester biogas recovery systems in operation on livestock farms in the U.S. as of the January 2014. The majority of these digesters (193) were on dairy farms, but there were also 29 on swine farms, 5 on poultry farms, 4 on beef farms and 8 on mixed cattle/swine farms [15]. EPA estimates that there are 8,241 dairy and swine farms that could support biogas recovery systems with a combined potential electric generating capacity of 1,667 MW supplying approximately 13 million MWh of electricity per year [16]. Table 4-2 shows the top states with the potential for electricity generation from livestock farms. Biogas is more readily recovered from swine and dairy farms because the manure is handled in the wet slurry state that is hospitable to the waste-digesting microorganisms.

	Number of Candidate Farms	Methane Emissions Reductions (Thousand Tons)	Methane Production Potential (billion ft <sup>3</sup> /year)	Energy Generation Potential (Thousand MMBtu/year)	Electricity Generation Potential (Thousand MWh/year)
--	---------------------------	--	--	---	--

#### Swine Farms

Iowa	1,997	301	21.5	6,243	1,829
North Carolina	939	203	13.2	3,826	1,121
Minnesota	707	63	7.3	2,119	621
Illinois	350	39	4.3	1,240	363
Missouri	154	34	3.5	1,028	301
Indiana	296	31	3.5	1,011	296
Oklahoma	56	51	3.4	997	292
Nebraska	177	27	3.2	927	272
Kansas	80	22	2.3	681	199
Texas	10	25	1.6	477	140
Remaining 40 States	830	109	10.6	3,096	907
<b>Sub Total</b>	<b>5,596</b>	<b>905</b>	<b>74.4</b>	<b>21,645</b>	<b>6,341</b>

#### Dairy Farms

California	889	341	27.9	8,104	2,375
Idaho	203	99	8.9	2,601	762
New Mexico	110	64	5.3	1,553	455
Texas	155	66	5.0	1,463	429
Wisconsin	251	41	4.5	1,316	386
Washington	125	35	3.4	1,003	294
Arizona	54	44	3.1	898	263
Michigan	107	26	2.9	838	246
New York	111	18	2.1	603	177
Colorado	54	22	2.0	595	174
Remaining 40 States	588	152	14.6	4,244	1,243
<b>Sub Total</b>	<b>2,647</b>	<b>908</b>	<b>79.7</b>	<b>23,218</b>	<b>6,804</b>
<b>U.S. Total</b>	<b>8,243</b>	<b>1,813</b>	<b>154.1</b>	<b>44,863</b>	<b>13,145</b>

**Table 4-2:** Top ten states for potential electricity generation from swine and dairy farms (Data source: AgStar [16])

Municipal wastewater is yet another waste stream that is being used as a source of energy and that has potential for substantial expansion. According to the EPA there were 104 waste treatment facilities in 2011 that were capturing biogas and using it for electricity generation in combined heat and power (CHP) plants with a total 190 MW generating capacity. An additional 1,351 facilities had installed anaerobic digesters but not CHP plants. EPA estimated that if these facilities installed electricity generating equipment they could support a further 411 MW of electricity generation and 38,000 mmBtu per day of thermal energy [17]. In addition to the 104 units listed in Table 4-3 SUFG is aware of electricity generating plants in two locations in Indiana with a total capacity of 195 kW. More information about these plants is given in Section 4.4.

State	Number of Sites	Capacity (MW)
AR	1	1.73
AZ	1	0.29
CA	33	62.67
CO	2	7.07
CT	2	0.95
FL	3	13.50
IA	2	3.40
ID	2	0.45
IL	2	4.58
IN	1	0.13
MA	1	18.00
MD	2	3.33
MI	1	0.06
MN	4	7.19

State	Number of Sites	Capacity (MW)
MT	3	1.09
NE	3	5.40
NH	1	0.37
NJ	4	8.72
NY	6	3.01
OH	3	16.29
OR	10	6.42
PA	3	1.99
TX	1	4.20
UT	2	2.65
WA	5	14.18
WI	5	2.02
WY	1	0.03
<b>Total</b>	<b>104</b>	<b>189.8</b>

**Table 4-3: Wastewater treatment combined heat and power systems in the U.S.**  
(Data source: EPA [17])


Although crop residues are not in use today as a source of energy, it is the most readily available biomass feedstock. According to the USDA/DOE billion-ton study referred to in Section 4.2 corn stover is the most abundant untapped source of biomass currently available from croplands. In the 2011 update of the billion ton study, the total amount of agricultural residues produced at a farm-gate price of \$60 per dry ton is estimated at 140 million tons of corn stover, 36 million tons of wheat straw and 4 tons of other types of grain crop residues [7].

#### 4.4 Organic waste biomass in Indiana

Organic waste biomass, in particular wood residue and byproducts, has historically been the main source of renewable energy consumed in Indiana contributing over 80 percent of the

renewable energy up to the 1980s, and over 60 percent in the 1990s. It was not until the rapid growth in corn ethanol production in the 2000s that biomass was overtaken by ethanol as the leading source of renewable energy consumed in Indiana. Figure 4-6 shows the contribution of the various renewable resources to the total annual energy consumed in Indiana since 1960. The types of industries using wood residue and byproducts include the paper and pulp industry that has traditionally used the paper-making byproducts for cogeneration of electricity and process heat.

Municipal solid waste is the other major source of energy from waste biomass, for example the Covanta Energy Corporation's Indianapolis facility uses municipal solid waste to generate steam used for district heating in downtown Indianapolis. The plant has capacity to process 2,175 tons of solid waste per day to produce at least 4,500 tons of steam per ton of solid waste [18].



**Figure 4-6:** Renewables share of Indiana total energy consumption (1960-2012) (Source EIA [19])

The other organic waste biomass that is a significant source of energy in Indiana is landfill gas. The most active user of landfill gas is Wabash Valley Power Association which has a total of 49.6 MW of electricity generating capacity from seventeen power plants on 9 landfills. Other major users of landfill energy include Hoosier Energy with 3.5 MW electricity

generating capacity in a Clark County landfill and Granger Energy that has several energy conversion projects in the Southside landfill in Indianapolis. The Granger Energy project provides landfill gas to Rolls Royce for 4 MW of electricity generating capacity. The total electricity generating capacity installed in Indiana landfills is 60.5 MW. Other operators of landfill electricity generating projects in Indiana include Energy Systems LLC with 3.2 MW and the town of Munster with 0.1 MW [20]. In a study done by Giraldo as part of his 2013 Masters Thesis [21] it was estimated that 10 other landfills in Indiana had the technical characteristics necessary to support an additional 16.9 MW of electricity generating capacity as shown in Table 4-4.

<b>Facility Name</b>	<b>Amount of garbage disposed on landfill (tons)</b>	<b>Potential electricity generation capacity (MW)</b>
Clinton County	1,170,254	560
New Paris Pike	1,900,000	870
Decatur Hills	1,363,442	900
Hoosier 2	2,143,024	1,030
Bartholomew County 2	1,468,927	1,170
Clinton County	1,170,254	560
Decatur Hills	1,363,442	900
Hoosier 2	2,143,024	1,030
Bartholomew County 2	1,468,927	1,170
Clinton County	1,170,254	560

**Table 4-4:** Potential electricity generating capacity in Indiana landfills (Data source: Giraldo [21])

Another source of biomass fuel used for electricity generation in Indiana is the anaerobic digestion of animal manure. There are 9 anaerobic digester projects installed in Indiana as shown in Table 4-5. The Culver Duck Farm project is unique in that it does not process the animal manure, but rather the by-products (offal and blood) from a duck processing plant. Table 4-5 shows the locations and electricity generating capacities of anaerobic digesters in Indiana farms arranged in decreasing installed electricity generating capacity. The combined installed generating capacity of these digesters is 13.3 MW. In addition the Fair Oaks Dairy Farm has installed purification and compression equipment to produce biogas to run milk delivery trucks [22, 23]. The potential to expand biogas production from livestock farms is substantial. Indiana is ranked among the top ten with potential for producing 3.5 billion cubic feet of biogas per year from livestock manure digesters in 296 farms [16].

Farm/ Project Name	County	Year Operational	Animal Type	Population Feeding Digester	Biogas End Use(s)	Installed Capacity (kW)
Bos Dairy	Jasper	2005	Dairy	3600	Electricity	4,200
Bio Town Ag, Inc.	White	2011	Swine , Cattle	800; 4500	Cogeneration	3,300
Culver Duck Farm (processing plant)*	Elkhart	2013	Ducks	105,000 gallons duck blood & offal per week	Electricity	1,200
Waste No Energy	White	2013	Swine, Cattle	4000; 300		1,059
Fair Oaks Dairy - Digester 2	Jasper	2008	Dairy	9000	Cogeneration; CNG	1,050
Hidden View	Jasper	2007	Dairy	3500	Cogeneration	950
Herrema Dairy	Jasper	2002	Dairy	3750	Cogeneration	800
Fair Oaks Dairy - Digester 1	Jasper	2004	Dairy	3000	Electricity	700
Windy Ridge Dairy	Jasper	2006	Dairy	7000	Flared Full Time	0

\*Data from Culver Duck from a 2013 site visit

**Table 4-5: Operational Anaerobic Digesters in Indiana (Data source EPA [15])**

It is estimated that 144 concentrated animal feeding operations (CAFO) had the size and manure handling processes necessary to support an additional 20 MW of electricity generating capacity as shown in Table 4-6.

<b>Operation type (size in head)</b>	<b>Number of candidate farms</b>	<b>Potential electrical generation capacity per farm (kW)</b>	<b>Potential electrical generation capacity per category (kW)</b>
Dairy (500-999)	17	175	2,975
Dairy (1000-2499)	12	365	4,380
Dairy (2500 or more)	3	1,204	3,612
Hog farrow-to-wean (1000-1999)	4	22	88
Hog farrow-to-wean (2000-4999)	2	53	106
Hog farrow-to-wean (5000 or more)	2	184	368
Hog farrow-to-finish (1000-1999)	14	20	280
Hog farrow-to-finish (2000-4999)	14	43	602
Hog farrow-to-finish (5000 or more)	16	194	3,104
Hog finish only (1000-1999)	18	28	504
Hog finish only (2000-4999)	22	68	1,496
Hog finish only (5000 or more)	14	181	2,534
Hog nursery (1000-1999)	2	12	24
Hog nursery (2000-4999)	3	18	54
Hog nursery (5000 or more)	1	38	38
<b>Total</b>	<b>144</b>		<b>20,165</b>

**Table 4-6:** Potential electricity generating capacity in Indiana concentrated animal feeding operations (Data source: Giraldo [21])


Another biomass waste stream that is currently in use as a source of energy in Indiana is municipal wastewater. SUFG is aware of a total of 195 kW of electricity generating capacity in wastewater treatment plants (WWTP) in the cities of Jasper (65 kW) and West Lafayette (130 kW). The West Lafayette facility is also equipped to take in food related waste from Purdue University and other local businesses [24]. It is estimated that waste water treatment plants in 17 Indiana cities had the volume and processing infrastructure necessary to support an additional 10 MW of electricity generating capacity as shown in Table 4-7.

Facility name	Average flow (MGD)	Potential electricity generation capacity (kW)
Noblesville WWTP	5.0	130
Speedway WWTP	5.5	143
Shelbyville WWTP	6.8	177
Elkhart WWTP	8.3	216
J.B. Gifford WWTP	8.5	221
William Edwin Ross WWTF	9.0	234
Anderson WWTP	12.0	312
Mishawaka WWTP	12.0	312
Evansville Eastside WWTP	18.0	468
Muncie WWTP	19.0	494
Lafayette WWTP	20.7	537
Terre Haute WWTP	24.0	624
Hammond WWTP	27.0	702
City of South Bend WWTP	36.0	936
Gary Sanitary District	50.0	1,300
Fort Wayne WPCP	62.0	1,612
Carmel South WWTP	95.0	2,470
<b>Total</b>		<b>10,888</b>

**Table 4-7: Potential electricity generating capacity in Indiana wastewater treatment plants**

(Data source: Giraldo [21])

Figure 4-7 shows the amount of agricultural and forest biomass residue potentially available for energy production in Indiana at various bioenergy feedstock prices. As can be seen in the figure, the most abundant residue available is corn stover increasing from approximately 3 million dry tons per year at \$40 per dry ton to slightly over 8 million dry tons per year at \$60 per dry ton.



**Figure 4-7:** Estimated biomass production potential in Indiana (Data source: DOE [7])

Assuming an energy content of 7,500 Btu/lb for agricultural residues (corn stover and wheat straw), 9,000 Btu/lb for wood, and 8,500 for manure the total energy available from the residues collected when the price is \$60 per dry ton would be 170 trillion Btu. This is approximately 6 percent of Indiana's annual energy consumption of 2,800 trillion Btu. If this energy was converted to electricity in a power plant operating at 21 percent efficiency it would result in 11,000 GWh of electric energy, approximately 8 percent of Indiana's 125,000 GWh annual electricity generation.

Two Indiana companies (Algaewheel and Stellarwind Bio Energy) are involved in algae development. In 2009 Stellarwind Bio Energy LLC established a corporate headquarters and a small scale production facility to manufacture algal oil that can be refined to produce liquid transportation fuels [25]. In 2010 Algaewheel installed an algae based wastewater treatment system at the city of Reynolds as part of the Biotown USA initiative. The algae based system improves the waste treatment facility's energy efficiency by replacing the mechanical aeration system with an algae wheel that utilizes the symbiotic relationship between the algae and the waste treatment bacteria. Oxygen produced by algae serves as food for the bacteria while the bacteria in turn converts the wastewater bio-solids into food for the algae. In addition the algae produced is a biofuel that can be used in-house to supplement the facility's energy needs or sold to provide a revenue stream [26].

## 4.5 Incentives for organic waste biomass

The following incentives have been available to assist in the use of organic waste biomass.

### Federal Incentives

- Renewable Electricity Production Tax Credit (PTC) provides a 2.3 cents/kWh tax credit for closed-loop biomass and 1.1 cents/kWh for open-loop biomass, landfill gas municipal solid waste energy technologies. Organic waste biomass falls under the open-loop category. As part of the February 2009 American Recovery and Reinvestment Act the PTC was modified to provide the option for qualified producers to take the federal business energy investment tax credit. The PTC expired in December 2013. However projects under construction in 2014 are eligible for the credit if they began construction before by December 31, 2013 [27].
- Business Energy Investment Tax Credit (ITC) credits up to 30 percent of expenditures on qualified renewable energy systems. Municipal solid waste is the only biomass that qualifies for the ITC [27].
- Modified Accelerated Cost-Recovery System (MACRS) + Bonus Depreciation allows businesses to recover investments in qualified renewable energy technologies through depreciation deductions. A provision for a 50 percent first year bonus depreciation added by the Economic Stimulus Act of 2008 expired in 2013 [27].
- Rural Energy for America Program (REAP) covers up to 25 percent of costs for eligible projects at certain types of institutions. Eligible renewable energy projects include wind, solar, biomass and geothermal; and hydrogen derived from biomass or water using wind, solar or geothermal energy sources. REAP grants are available for agricultural producers and rural businesses. The program is administered by the USDA [27].
- Qualified Energy Conservation Bonds (QECBs) are qualified tax credit bonds that state, local and tribal governments may use to finance renewable energy projects and other energy conservation measures. Unlike the Clean Renewable Energy Bonds (CREBS) QECBs are not subject to U.S. Department of Treasury approval. The volume of the bonds is allocated to states in proportion to the state's percentage of the U.S. population [27].
- High Energy Cost Grant Program administered by the USDA is aimed at improving the electricity supply infrastructure in rural areas having home energy costs exceeding 275 percent of the national average. Eligible infrastructure includes renewable resources generation. The individual grants range from \$20,000 to \$3 million [27].
- Green Power Purchasing Goal requires 20 percent of energy used by federal agencies must be obtained from renewable resources by 2020 [27].

## Indiana Incentives

- Net Metering Rule allows utility customers with renewable resource facilities with a maximum capacity of 1 MW to receive a credit for net excess generation in the next billing cycle [27].
- Clean Energy Credit Program (Energy Efficiency and Renewable Energy Set-aside) allocates nitrogen oxides (NOx) allowances for renewable energy and energy efficiency projects that displace utility electricity generation. These NOx credits can then be traded in the regional NOx market that covers 21 states in the eastern United States. One NOx allowance is allocated for each ton of NOx emissions displaced. Several projects may be combined in one application to meet the one ton minimum requirement [28, 29].
- Community Conservation Challenge Grant provides \$25,000-\$250,000 in grants for community energy conservation projects located in Indiana using commercially-available technologies. Projects include improving energy efficiency, renewable energy, reduction in energy demand or fuel consumption, and energy recycling [27, 30].
- Sales and Use Tax Exemption for Electrical Generating Equipment exempts transactions involving manufacturing machinery, tools, and equipment used for the production of tangible personal property, which includes electricity, from state gross retail tax. However, only wind energy has clearly specified rules from the Department of Revenue [27].
- Clean Energy Portfolio Goal sets a voluntary goal of obtaining 4 percent between 2013 and 2018, 7 percent between 2019 and 2024, and 10 percent by 2025, of electricity from clean energy sources based on 2010 retail sales. Participation in the goal makes utilities eligible for incentives that can be used to pay for the compliance projects [27].

## 4.6 References

1. U.S. Environmental Protection Agency (EPA). Overview of Greenhouse Gases. <http://epa.gov/climatechange/ghgemissions/gases/ch4.html>
2. National Renewable Energy Laboratory (NREL). A look back at the U.S. Department of Energy's aquatic species program: Biodiesel from algae. 1998. <http://www.nrel.gov/biomass/pdfs/24190.pdf>
3. U.S. Department of Energy (DOE). National algal biofuels technology roadmap. May 2010. [http://www1.eere.energy.gov/biomass/pdfs/algal\\_biofuels\\_roadmap.pdf](http://www1.eere.energy.gov/biomass/pdfs/algal_biofuels_roadmap.pdf)
4. Greentechmedia. <http://www.greentechmedia.com/articles/read/aps-gets-70.5m-to-feed-captured-carbon-to-algae>

5. Energy Information Administration (EIA). Updated capital cost estimates for utility scale electricity generation plants. April 2013.  
[http://www.eia.gov/forecasts/capitalcost/pdf/updated\\_capcost.pdf](http://www.eia.gov/forecasts/capitalcost/pdf/updated_capcost.pdf)
6. DOE and U.S. Department of Agriculture (USDA). Biomass as feedstock for a bioenergy and bioproducts industry: the technical feasibility of a billion-ton annual supply. April 2005. [http://feedstockreview.ornl.gov/pdf/billion\\_ton\\_vision.pdf](http://feedstockreview.ornl.gov/pdf/billion_ton_vision.pdf)
7. DOE. 2011 U.S. Billion-Ton Update: Biomass Supply for a Bioenergy and Bioproducts Industry. R.D. Perlack and B.J. Stokes (Leads), ORNL/TM-2011/224. Oak Ridge National Laboratory, Oak Ridge, TN. 227p.  
[http://www1.eere.energy.gov/biomass/pdfs/billion\\_ton\\_update.pdf](http://www1.eere.energy.gov/biomass/pdfs/billion_ton_update.pdf)  
<https://www.bioenergykdf.net/>
8. USDA. Biomass supply from corn residues: estimates and critical review of procedures [www.usda.gov/oce/reports/energy/Biomass%20Supply%20From%20Corn%20Residues-Nov-2012.pdf](http://www.usda.gov/oce/reports/energy/Biomass%20Supply%20From%20Corn%20Residues-Nov-2012.pdf), <http://www2.econ.iastate.edu/faculty/gallagher/>
9. Arizona State University (ASU). ASU Engineering. July 2010.  
<https://engineer.asu.edu/node/218>
10. EIA. 2012 Annual Energy Review. Table 10.1.  
<http://www.eia.gov/totalenergy/data/annual/index.cfm#renewable>
11. EIA. May 2013 Monthly Energy Review Table 10.1  
<http://www.eia.gov/totalenergy/data/monthly/#renewable>
12. EPA. Energy Recovery from Waste.  
<http://www.epa.gov/wastes/nonhaz/municipal/wte/index.htm>
13. Energy Recovery Council. [http://www.wte.org/userfiles/file/ERC\\_2010\\_Directory.pdf](http://www.wte.org/userfiles/file/ERC_2010_Directory.pdf)
14. EPA. Landfill Methane Outreach Program.  
<http://www.epa.gov/lmop/projects-candidates/index.html#map-area>
15. EPA, AgSTAR. Operating Anaerobic Digester Projects.  
<http://www.epa.gov/agstar/projects/index.html>
16. AgSTAR. Market opportunities for biogas recovery systems at U.S. livestock facilities.  
[http://www.epa.gov/agstar/documents/biogas\\_recovery\\_systems\\_screenres.pdf](http://www.epa.gov/agstar/documents/biogas_recovery_systems_screenres.pdf).
17. EPA. Combined Heat and Power Partnership, Opportunities for and benefits of combined heat and power at wastewater treatment facilities.  
<http://www.epa.gov/chp/markets/wastewater.html>
18. Covanta Energy Corporation.  
<http://www.covantaenergy.com/en/facilities/facility-by-location/indianapolis.aspx>
19. EIA. State Energy Data System (SEDS). Table CT2. Primary Energy Consumption Estimates, Selected Years, 1960-2011, Indiana.  
[http://www.eia.gov/state/seds/data.cfm?incfile=/state/seds/sep\\_use/total/use\\_tot\\_INcb.htm&sid=IN](http://www.eia.gov/state/seds/data.cfm?incfile=/state/seds/sep_use/total/use_tot_INcb.htm&sid=IN)
20. EPA. Landfill Methane Outreach Program (LMOP).  
<http://www.epa.gov/lmop/projects-candidates/index.html>
21. Juan S. Giraldo. An economic analysis of electricity generation potential from biogas resources in the state of Indiana. Master of Science Thesis, Purdue University May 2013.

<http://docs.lib.purdue.edu/dissertations/AAI1544326/>  
[http://www.purdue.edu/discoverypark/energy/assets/pdfs/SUFG/publications/SUFG\\_Biogas.pdf](http://www.purdue.edu/discoverypark/energy/assets/pdfs/SUFG/publications/SUFG_Biogas.pdf)

22. U.S. Dairy Sustainability Committee.  
[www.usdairy.com/~/media/usb/public/dairypowercasestudy\\_renewableenergy.pdf.ashx](http://www.usdairy.com/~/media/usb/public/dairypowercasestudy_renewableenergy.pdf.ashx)

23. EPA. Fair Oaks Dairy - Digester 2.  
<http://www.epa.gov/agstar/projects/profiles/fairoaksdairydigester2.html>

24. West Lafayette wastewater treatment plant.  
<http://www.westlafayette.in.gov/department/division.php?fDD=11-185>

25. Stellarwind Bio Energy LLC. <http://stellarwindbioenergy.com/?q>About%20Us>

26. One Water Works/AlgaeWheel North America.  
<http://www.algaewheel.com/north-america/>  
[https://www.purdue.edu/discoverypark/energy/assets/pdfs/energy-camp-presentations/Biotown%20Tour\\_AlgaeWheel\\_\\_Presentation.pdf](https://www.purdue.edu/discoverypark/energy/assets/pdfs/energy-camp-presentations/Biotown%20Tour_AlgaeWheel__Presentation.pdf)

27. Database of State Incentives for Renewables and Efficiency (DSIRE).  
<http://www.dsireusa.org/>

28. Indiana Department of Environmental Management. Indiana clean energy credit program  
<http://www.in.gov/idem/airquality/2553.htm>  
[www.in.gov/oed/files/Presentation\\_Letterman.ppt](http://www.in.gov/oed/files/Presentation_Letterman.ppt)

29. U.S. Environmental Protection Agency (EPA). State incentives for clean and renewable energy. [www.epa.gov/renewableenergyland/incentives/in\\_incentives.pdf](http://www.epa.gov/renewableenergyland/incentives/in_incentives.pdf)

30. Indiana Office of Energy Development. Community Conservation Challenge.  
<https://secure.in.gov/oed/2645.htm>



# 5. Solar Energy


---

## 5.1 Introduction

Solar energy is captured and converted into various forms of energy in two main ways: directly into electricity using photovoltaic cells and indirectly using solar thermal conversion technologies. The two conversion methods and associated technologies are presented in this report, starting with solar thermal conversion technologies in this section followed by photovoltaic cells in Section 6.

Solar thermal energy is captured using solar collectors, of which there are two main types: concentrating and non-concentrating collectors. Concentrating collectors use mirrors of various configurations to focus the solar energy onto a receiver containing a working fluid that is used to transfer the heat to a conversion engine. Concentrating collectors are typically used for electricity generating projects while non-concentrating collectors are typically used for applications such as water and space heating.


The most commonly used non-concentrating collectors are flat-plate designs. Flat-plate collectors consist of a flat-plate absorber, a transparent cover that allows solar energy to pass through while reducing heat loss, a heat-transport fluid flowing through tubes, and a heat insulating backing. Figure 5-1 shows the basic components of a flat-plate collector. Other non-concentrating collectors include evacuated-tube collectors and integral collector-storage systems [1].



**Figure 5-1:** Cross-section layout of a flat-plate collector (Source: SolarServer [2])


The four main types of thermal concentrating solar power (CSP) systems are parabolic trough, linear Fresnel, solar power tower, and solar dish/engine system.

The trough CSP system has trough shaped collectors with a parabolic cross section and a receiver tube located at the focal line of the trough as shown in Figure 5-2. A working fluid is used to transport the heat from the receivers to heat exchangers. Trough CSP systems in use for utility scale electricity generation are typically coupled with a fossil-fuel fired boiler to supplement the supply of heat when the solar energy collected is not adequate. Trough systems can also be coupled with facilities to store the hot working fluid, thereby providing the ability for the plant to be dispatched to match system demand. The parabolic trough system is the most developed and widely used CSP technology in the U.S. and worldwide, with 1,023 MW out of the total 1,439 MW of installed CSP capacity in the U.S. being parabolic trough based.




**Figure 5-2:** A parabolic trough CSP system (Source: NREL [3])

The linear Fresnel CSP system functions a lot like the parabolic trough system except for the collectors where the parabolic trough is replaced with a series of flat or slightly curved mirrors that focus the radiation onto a receiver tube as shown in Figure 5-3. There is only one linear Fresnel CSP plant operating in the U.S. It is the 5 MW Kimberlina plant in Bakersfield, California commissioned in 2009.




**Figure 5-3:** A linear Fresnel CSP system (Source: IEA [4])

The power tower CSP system utilizes thousands of flat sun-tracking mirrors, or heliostats, that concentrate the solar energy on a tower-mounted heat exchanger as shown in Figure 5-4. This system avoids the heat lost during transportation of the working fluid to the central heat exchanger in a trough-based CSP system. Power tower CSP systems are typically equipped with molten salt energy storage tanks at the base of the towers that enable them to store energy for several hours [5]. This system provides higher efficiency than the trough system because all sunlight is concentrated on a single point [3]. There are two power tower CSP plants in operation in the U.S., the 392 MW Ivanpah project in the Mojave Desert in California and the 5 MW Sierra Sun Tower plant in Lancaster, California.



**Figure 5-4:** A power tower CSP system (Source: NREL [3])

The dish/engine system utilizes a parabolic shaped dish that focuses the sun's rays to a receiver at the focal point of the dish as shown in Figure 5-5. An engine/generator located at the focal point of the dish converts the absorbed heat into electricity. Individual dish/engine units currently range from 3-25 kW [6]. Many of these dish systems may be combined to make a utility-scale power plant. The dish/engine design results in the highest efficiency of the solar thermal designs [3]. The dish/engine system does not use any cooling water which puts it at an advantage over the other two systems. However, it is the least developed of the three CSP technologies with several challenges to be overcome in the design of the reflectors and the solar collectors. The only commercial-scale dish/engine installed in the U.S., the 1.5 MW Maricopa project in Arizona, was decommissioned in 2011.



**Figure 5-5: A dish/engine CSP system (Source: NREL [3])**

## 5.2 Economics of solar technologies

Table 5-1 shows the overnight capital cost<sup>8</sup> estimates for CSP power plants provided by the National Renewable Energy Laboratory (NREL) [7] arranged in order of decreasing capital cost (\$/kW). The three plants with the highest capital cost have thermal storage facilities installed, with the highest capital cost plant, the Gemasolar plant in Spain having 15 hours-worth of thermal storage capacity.

---


<sup>8</sup> Overnight capital cost “is an estimate of the cost at which a plant could be constructed assuming that the entire process from planning through completion could be accomplished in a single day” [8]. The overnight cost concept is used to avoid the impact of the differences in financing methods chosen by project developers on the estimated costs.

Project Name	Developer, Owner	Location	Capacity (MW)	Technology	Online Date	Total Cost (million \$)	Capital cost (\$/kW)	Thermal Storage (hours)
Gemasolar Thermosolar Plant	Torresol, Masdar, Sener	Andalucía, Spain	20	Power Tower	2011	315	15,834*	15
Solana Generating Station	Abengoa	Phoenix, Arizona	250	Parabolic Trough	2013	2,000	8,000	6
La Africana	Ortiz, TSK, Magtel	Posadas Spain	50	Parabolic Trough	2012	387	7,740	7.5
Martin Next Generation Solar Energy Center	Florida Power & Light	Indian Town Florida	75	Parabolic Trough	2010	476	6,351	None
Shams 1	Abengoa, Masdar, Total	Madinat Zayed, United Arab Emirates	100	Parabolic Trough	2013	600	6,000	None
Ivanpah Solar Electric Generating System	BrightSource Energy	Primm, CA	377	Power Tower	2013	2,200	5,836	None
Ibersol Ciudad Real	Iberdrola Renewables	Puertollano, Spain	50	Parabolic Trough	2009	274	5,480*	None
Nevada Solar One	Acciona	Boulder City, Nevada	64	Parabolic Trough	2007	266	4,156	0.5

\*cost converted from Euros (€) at 1.37 \$ per €


**Table 5-1:** Estimated capital cost of CSP plants (Sources NREL [7])

Figure 5-6 shows the overnight capital cost estimates of utility scale electricity generating technologies given in the 2013 EIA update of generating plant costs [8] sorted in order of decreasing capital cost. The solar thermal technology's capital cost of approximately \$5,067 /kW is in the mid-range among the renewable technologies between the low end of wind generation at \$2,213/kW and the high end \$8,312/kW for municipal solid waste based generation technology.



**Figure 5-6:** Estimated capital cost of generating technologies (Data source: EIA [8])


Figure 5-7 shows the estimate of the fixed and variable operating and maintenance (O&M) costs. As can be seen in Figure 5-7 solar thermal technology has moderate O&M cost, with a zero variable O&M cost and a fixed annual O&M cost of \$67 /kW. This fixed annual O&M cost is higher than that of photovoltaic technologies which is estimated at \$25 /kW for large scale photovoltaic plants and \$28 /kW for small utility scale photovoltaic systems.



**Figure 5-7:** Operating and maintenance cost of generating technologies (Data source: EIA [8])


### 5.3 State of solar energy nationally

As can be seen in Figures 5-8, there are substantial solar resources available in the U.S., especially in the southwestern region.



**Figure 5-8:** Concentrating solar power resource in the U.S. (Source: NREL [9])

Like the PV systems presented in Section 6, there has been a surge in the installation of CSP capacity in the U.S. in the last 10 years. After a period of approximately 15 years when no new CSP capacity was built in the U.S., the first major project, the 64 MW Nevada Solar One CSP project in Boulder City, Nevada was commissioned in 2007. Figure 5-9 shows the annual and cumulative capacity additions in the U.S.



**Figure 5-9:** Solar thermal power capacity installed in the U.S. (Source: SEIA [10, 11])

Since 2005 a total of ten CSP projects with a combined installed capacity of 1,085 MW have been added, bringing the total CSP installed capacity in the U.S. to 1,439 MW. Three of these large projects with a combined capacity of 922 MW were completed in 2013 and 2014. They are the 280 MW Solana in Arizona, the 392 MW Ivanpah Power Tower system and the 250 MW Genesis project both located in California. Table 5-2 contains a list of CSP projects in operation in the U.S. as of the writing of this report.

Project Name	Developer/Owner	State	Capacity (MW)	Technology	Online Date
Solar Energy Generating Systems (SEGS) I	Luz	CA	14	Parabolic Trough	1985
SEGS II	Luz	CA	30	Parabolic Trough	1986
SEGS III	Luz	CA	30	Parabolic Trough	1987
SEGS IV	Luz	CA	30	Parabolic Trough	1987
SEGS V	Luz	CA	30	Parabolic Trough	1988
SEGS VI	Luz	CA	30	Parabolic Trough	1989
SEGS VII	Luz	CA	30	Parabolic Trough	1989
SEGS VIII	Luz	CA	80	Parabolic Trough	1990
SEGS IX	Luz	CA	80	Parabolic Trough	1991
Saguaro Solar Power Plant	Solargenix	AZ	1	Parabolic Trough	2005
Nevada Solar One	Acciona	NV	64	Parabolic Trough	2007
Nevada Solar One Expansion	Acciona	NV	11	Parabolic Trough	2009
Kimberlina	Ausra	CA	5	Linear Fresnel Reflector	2009
Sierra SunTower	eSolar	CA	5	Power Tower	2009
Holaniku at Keahole Point	Sopogy	HI	2	Parabolic Trough	2009
Martin Next Generation Solar Energy Center	Florida Power & Light	FL	75	Parabolic Trough	2010
Solana	Abengoa	AZ	280	Parabolic Trough	2013
Ivanpah Solar Electric Generating System	BrightSource	CA	392	Power Tower	2013
Genesis Solar Energy Project	NextEra	CA	250	Parabolic Trough	2014

**Table 5-2: CSP plants in the U.S. (Data sources: NREL [7], SEIA [10])**


Table 5-3 shows the three CSP projects currently under construction in the U.S. The two main ones are the 280 MW Mojave Solar project in Harper Dry Lake, California and the 110 Crescent Dunes project in Tonopah, Nevada.

Project Name	Developer/Owner	City/County	State	Capacity (MW)	Technology	Online Year
Mojave Solar	Abengoa	San Bernardino County	CA	280	Parabolic Trough	2014
Crescent Dunes Solar Energy Project	SolarReserve	Nye County	NV	110	Power Tower	2013
Tooele Army Depot	SolarPACES, Infinia	Tooele	UT	1.5	Dish/Engine	2013

**Table 5-3 CSP plants under construction in the U.S. (Data sources: NREL [7], SEIA [10])**


One of the most common applications for solar thermal energy in the U.S. is for heating swimming pools. Solar pool heating installations are concentrated in California and Florida.

Figure 5-10 shows the capacity installed annually, in thermal megawatts (MW<sub>th</sub>), of solar thermal systems used for heating swimming pools.



**Figure 5-10:** Annual installed U.S. capacity for solar pool heating (2001-2010) (Source: IREC [12])

The other major uses of solar thermal energy are water heating and space heating/cooling. Figure 5-11 shows the annual installed capacity of solar thermal systems used for water heating and space heating/cooling from 2002 to 2010.




**Figure 5-11:** Annual installed U.S. capacity for solar heating and cooling (2002-2010)

(Source: IREC [12])

#### 5.4 Solar energy in Indiana

As can be seen in the U.S. solar radiation map (Figures 5-8) Indiana is in a region of the country that has the lowest annual average solar radiation. This combined with the relatively low retail electricity rates makes Indiana a less than ideal location for multi-megawatt CSP plants compared to such states as California, Arizona, Nevada, and Florida. The 1,439 MW of solar thermal power plants in the U.S. are located in five states as follows: California – 1,006 MW, Arizona – 281 MW, Florida – 75 MW, Nevada – 75 MW, and Hawaii – 2 MW. The 392 MW of capacity under construction are in California (280 MW), Nevada (110 MW) and Utah (1.5 MW). However there is some potential for water heating applications of solar thermal technologies. According to the EIA 2011 solar thermal collector manufacturing report, Indiana was the 20<sup>th</sup> top destination for solar thermal collectors in the U.S. in 2009 [13].

Figure 5-12 shows the solar radiation available to a flat collector facing south in Indiana. Flat plate collectors are typically used for water heating applications. As can be seen in the figure, the southern half of the state has more radiation available.



**Figure 5-12:** Direct normal solar radiation (flat-plate collector) in Indiana (Source: NREL [14])

## 5.5 Incentives for solar energy

The following available incentives are available for solar thermal energy projects:

### Federal Incentives

- Business Energy Investment Tax Credit (ITC) credits up to 30 percent of expenditures on solar systems [15].
- U.S. DOE Loan Guarantee Program (Section 1703, Title IV of Energy Policy Act (EPAct) of 2005 provides loan guarantees for large scale innovative renewable energy projects that reduce the emission of pollutants, including renewable energy projects. The program focuses on large scale projects costing over \$25 million. A supplementary loan guarantee program authorized by the American Recovery and Reinvestment Act of 2009 under Section 1705 of EPAct expired in 2011 [15].
- Business Energy Investment Tax Credit (ITC) credits up to 30 percent of expenditures, with no maximum credit, on qualifying solar energy installations [15].
- Modified Accelerated Cost-Recovery System (MACRS) + Bonus Depreciation allows businesses to recover investments in qualified renewable energy technologies through depreciation deductions. A provision for a 50 percent first year bonus depreciation added by the Economic Stimulus Act of 2008 expired in 2013 [15].
- Rural Energy for America Program (REAP) covers up to 25 percent of costs for eligible projects at certain types of institutions. Eligible renewable energy projects include wind, solar, biomass and geothermal; and hydrogen derived from biomass or water using wind, solar or geothermal energy sources. REAP incentives are generally available to state government entities, local governments, tribal governments, land-grant colleges and universities, rural electric cooperatives and public power entities, and other entities, as determined by USDA [15].
- Qualified Energy Conservation Bonds (QEBCs) are qualified tax credit bonds that are allocated to each state based upon the state's percentage of the U.S. population. The states are then required to allocate a certain percentage to "large local governments." In February 2009, these funds were expanded to \$3.2 billion [15].
- High Energy Cost Grant Program administered by USDA is aimed at improving the electricity supply infrastructure in rural areas having home energy costs exceeding 275 percent of the national average. Eligible infrastructure includes renewable resources generation. The individual grants range from \$20,000 to \$3 million [16].
- Residential Renewable Energy Tax Credit allows taxpayers to claim 30 percent of their qualifying expenditures on installation of renewable energy technologies including solar electric systems, solar water heaters, wind turbines and geothermal heat pumps [15].
- Green Power Purchasing Goal requires 20 percent of energy used by federal agencies must be obtained from renewable resources by 2020 [15].

- Energy Efficiency Mortgage can be used by homeowners to finance a variety of energy efficiency measures, including renewable energy technologies, in new or existing homes. The federal government supports these loans by insuring them through the Federal Housing Authority or the Department of Veterans Affairs [15].

## Indiana Incentives

- Solar Access Laws prevent planning and zoning authorities from prohibiting or unreasonably restricting the use of solar energy. Indiana's solar-easement provisions do not create an automatic right to sunlight, though they allow parties to voluntarily enter into solar-easement contracts which are enforceable by law [15].
- Net Metering Rule qualifies renewable resource facilities with a maximum capacity of 1 MW for net metering. The net excess generation is credited to the customer in the next billing cycle [15].
- Renewable Energy Property Tax Exemption provides property tax exemptions for solar thermal, PV, wind, hydroelectric and geothermal systems [15].
- Clean Energy Credit Program (Energy Efficiency and Renewable Energy Set-aside) allocates nitrogen oxides (NOx) allowances for renewable energy and energy efficiency projects that displace utility electricity generation. These NOx credits can then be traded in the regional NOx market that covers 21 states in the eastern United States. One NOx allowance is allocated for each ton of NOx emissions displaced. Several projects may be combined in one application to meet the one ton minimum requirement [17, 18].
- Community Conservation Challenge Grant provides \$25,000-\$250,000 in grants for community energy conservation projects located in Indiana using commercially-available technologies. Projects include improving energy efficiency, renewable energy, reduction in energy demand or fuel consumption, and energy recycling [14, 19].
- Clean Energy Portfolio Goal sets a voluntary goal of obtaining 4 percent between 2013 and 2018, 7 percent between 2019 and 2024, and 10 percent by 2025, of electricity from clean energy sources based on 2010 retail sales. Participation in the goal makes utilities eligible for incentives that can be used to pay for the compliance projects [15].

## 5.6 References


1. U.S. Department of Energy, Energy Efficiency and Renewable Energy (EERE). [http://www.energysavers.gov/your\\_home/water\\_heating/index.cfm/mytopic=12850](http://www.energysavers.gov/your_home/water_heating/index.cfm/mytopic=12850)
2. Solar Server, Online Portal to Solar Energy. <http://www.solarserver.com/knowledge/basic-knowledge/solar-collectors.html>
3. National Renewable Energy Laboratory (NREL). Fuel from the sky: solar energy's potential for Western energy supply. [www.nrel.gov/csp/pdfs/32160.pdf](http://www.nrel.gov/csp/pdfs/32160.pdf)

4. International Energy Agency. SolarPACES solar thermal power systems network.  
<http://www.solarpaces.org/csp-technology>
5. EERE. Solar Energy technologies program: Multi-year program plan 2007 – 2011. January 2006. [http://www1.eere.energy.gov/solar/pdfs/set\\_myp\\_2007-2011\\_proof\\_1.pdf](http://www1.eere.energy.gov/solar/pdfs/set_myp_2007-2011_proof_1.pdf)
6. EERE. Dish engine for concentrating solar power.  
<http://energy.gov/eere/energybasics/articles/concentrating-solar-power-dishengine-system-basics>
7. NREL. Concentrating solar projects. <http://www.nrel.gov/csp/solarpaces/>
8. U.S. Energy Information Administration (EIA). Updated capital cost estimates for utility scale electricity generation plants. April 2013.  
[http://www.eia.gov/forecasts/capitalcost/pdf/updated\\_capcost.pdf](http://www.eia.gov/forecasts/capitalcost/pdf/updated_capcost.pdf)
9. NREL. <http://www.nrel.gov/gis/solar.html>
10. Solar Energy Industries Association (SEIA), Utility-scale solar projects in the United States: operating, under construction, or under development.  
<http://www.seia.org/research-resources/major-solar-projects-list>  
[www.seia.org/sites/default/files/resources/Major%20Solar%20Projects%20List%203.6.14.pdf](http://www.seia.org/sites/default/files/resources/Major%20Solar%20Projects%20List%203.6.14.pdf)
11. State Utility Forecasting Group. 2012 Indiana Renewable Energy Resources Study, Section 5.3.  
<http://www.purdue.edu/discoverypark/energy/assets/pdfs/SUFG/publications/2012%20Renewables%20Report.pdf>
12. IREC. U.S. solar market trends 2010.  
<http://www.irecusa.org/publications/>
13. EIA. Solar Thermal Collector Manufacturing Activities 2009. Table 2-6 Shipments of Solar Thermal Collectors by Destination.  
[http://www.eia.gov/renewable/annual/solar\\_thermal/](http://www.eia.gov/renewable/annual/solar_thermal/)
14. NREL. MapSearch. <http://www.nrel.gov/gis/>  
<http://en.openei.org/w/index.php?title=File:NREL-eere-pv-h-indiana.pdf>
15. Database of State Incentives for Renewables and Efficiency (DSIRE).  
<http://www.dsireusa.org/>
16. U.S. Department of Agriculture, Rural Development, Electric Programs.  
[http://www.rurdev.usda.gov/UEP\\_Our\\_Grant\\_Programs.html](http://www.rurdev.usda.gov/UEP_Our_Grant_Programs.html)
17. Indiana Department of Environmental Management. Indiana clean energy credit program.  
<http://www.in.gov/idem/airquality/2553.htm>  
[www.in.gov/oed/files/Presentation\\_Letterman.ppt](http://www.in.gov/oed/files/Presentation_Letterman.ppt)
18. U.S. Environmental Protection Agency (EPA). State incentives for clean and renewable energy. [www.epa.gov/renewableenergyland/incentives/in\\_incentives.pdf](http://www.epa.gov/renewableenergyland/incentives/in_incentives.pdf)
19. Indiana Office of Energy Development. Community Conservation Challenge.  
<https://secure.in.gov/oed/2645.htm>

# 6. Photovoltaic Cells

## 6.1 Introduction


Unlike solar thermal systems discussed in Section 5 of this report, photovoltaic (PV) cells convert solar energy directly into electricity without having to first convert it to heat. In addition, since PV cells use both direct and indirect sunlight, their use is more geographically widespread than solar thermal systems that require access to direct solar radiation. Figure 6-1 shows the layout and functioning of a PV cell. When the photons in sunlight strike the surface of a photovoltaic cell, some of them are absorbed. The absorbed photons cause free electrons to migrate in the cell, thus causing “holes.” The resulting imbalance of charge between the cell’s front and back surfaces creates a voltage potential like the negative and positive terminals of a battery. When these two surfaces are connected through an external load, electricity flows [1].



**Figure 6-1:** Photovoltaic cell operation (Source: EIA [2])

The photovoltaic cell is the basic building block of a PV system. Individual cells range in size from 0.5 to 4 inches across with a power output of 1 to 2 watts (W). To increase the power output of the PV unit, the cells are interconnected into a packaged, weather-tight module, typically with a 50-100 W power output as shown in Figure 6-2. Several PV modules are then

connected to form an array. A complete PV system will include other components such as inverters and mounting systems [1, 3].




**Figure 6-2: Illustration of a cell, module and array of a PV system (Source: EERE [3])**

There are currently three main types of PV cell technologies in commercial use: crystalline silicon, thin-film and concentrating PV cells. Other PV cells being developed use new materials instead of silicon, including solar dyes, solar inks and organic polymers. The crystalline silicon cell is the most common PV cell technology and was the first PV technology to be developed. It was developed in the 1950s and was initially used to power satellites and smaller items like watches and electronic calculators. As the prices of PV systems declined, their use spread to other areas such as highway signs and other facilities remote from the electricity grid. In more recent years PV power systems have gained more widespread application as grid-connected generating resources with over 12,000 MW of grid-connected PV systems installed in the U.S. since 2000 [4, 5].

Unlike crystalline silicon cells, thin-film cells are made by depositing thin layers of non-crystalline (amorphous) silicon or other photovoltaic material on low-cost substrate material. As a result, thin-film PV cells have a lower cost per unit of area than crystalline silicon cells. However, since they have a lower energy conversion efficiency, this cost advantage is reduced by the required larger surface area relative to a crystalline silicon PV system with the same power rating. One of the main advantages of thin-film PV cells is that they can be made into flexible panels that are easily fitted onto building structures such as roofing shingles, facades and glazing on sky lights. Although a much newer technology, thin-film based PV systems have gained widespread use in the U.S. with 1,726 MW of grid-connected thin-film PV capacity having been installed in the U.S. in the last ten years [4, 5].


The third category of photovoltaic cell technology in commercial use is the concentrating photovoltaic cell (CPV) technology. CPV systems use optical lenses to focus the sun's rays onto small, high efficiency PV cells thus reducing the amount of photovoltaic material needed.

Unlike the other photovoltaic technologies, CPV systems require direct sunlight and therefore their viability is restricted to sunny locations. At the writing of this report there were six grid-connected CPV systems with a total capacity of 42 MW in operation in the U.S. [5, 6]. The largest of these is the 30 MW Alamosa Solar Generating Station installed in Alamosa, Colorado 2012. Figure 6-3 shows the layout of a CPV cell.



**Figure 6-3:** Illustration of concentrating photovoltaic cell (Source: Green Rhino Energy [6])

Figure 6-4 shows an overview of the costs, efficiencies, and energy output per unit of surface area of various PV cell technologies given by the International Energy Agency in their 2010 roadmap. As can be seen in the figure, the crystalline silicon technology occupies a mid-range in the cost/efficiency continuum, thin-film technology's lower cost comes with a lower efficiency and the CPV technology's higher efficiency is coupled with proportionally higher cost. (Figure 6-4 also shows the costs and efficiency of organic cells; however, this technology is still in the development phase.)




\*percentage share of 2008 global market

**Figure 6-4: Performance and price of different PV technologies (Source IEA [1])**

## 6.2 Economics of PV systems


Figure 6-5 shows EIA's estimates of the capital cost of utility scale photovoltaic electricity generating plants alongside other utility scale electricity generating technologies. The photovoltaic capital cost is mid-range among the renewable technologies, with the larger of the two plants modeled by EIA having a capital cost of \$3,873/kW and the smaller plant (50 MW) having an capital cost of \$4,183/kW. On-shore wind has the lowest capital cost among the renewables at \$2,213/kW and municipal solid waste has the highest at \$8,312/kW.



**Figure 6-5:** Estimated capital cost of generating technologies (Data source: EIA [7])

Since 2008 the Lawrence Berkeley National Laboratory has issued an annual report on the historical trends in the installed price of PV systems in the U.S. Figure 6-6 and Figure 6-7 show those trends for the two categories in the Berkeley Lab report. The system installed price shown in the figures is upfront cost born by the PV systems not including any financial incentives. The residential and commercial PV category includes all systems installed at residential customer sites, all rooftop mounted systems in non-residential customer sites and


all ground-mounted systems less than 2 MW installed on non-residential customer sites. The utility-scale systems in Figure 6-7 include all ground-mounted systems of 2 MW and above.



**Figure 6-6:** Installed price trends over time for residential and commercial PV systems

(Source: Berkeley [8])

As can be seen in Figure 6-6 the installed price for residential and commercial systems has been in steady decline over the entire period represented in the sample. According to the Berkeley Lab report the halt in the declining trend between 2005 and 2009 is attributed to a supply shortage as the PV suppliers struggled to keep pace with the rapid growth in PV installations worldwide. The year to year decline in installed prices for residential and commercial PV systems in 2012 was 14 percent for systems no larger than 10 kW, 13 percent for systems between 10 and 100 kW, and 6 percent for systems for systems greater than 100 kW.




**Figure 6-7:** Installed price trends over time for utility-scale PV systems (Source: Berkeley [8])

Although there was an overall decline in installed prices for the utility-scale systems shown in Figure 6-7, the trend is not as clear as in the residential and commercial sector.

According to the Berkeley Lab report the challenge in establishing a clear trend in utility-scale set of PV systems is attributable to the sample size being rather small and also very diverse. The number of utility-scale systems in the Berkeley data set is only 190 as compared to 208,526 in the residential and commercial category.


Figure 6-8 and Figure 6-9 show the average prices for PV systems installed in the U.S. obtained from the Solar Energy Industry Association's (SEIA) solar market insight report for the first quarter of 2014. Figure 6-8 shows the capacity-weighted average for systems contained in state and utility incentive program databases installed from the 2012 to the first quarter of 2014. The average prices for systems installed in the first quarter of 2014 is \$4.56 per direct current watt ( $W_{dc}$ ) for residential systems, 3.72 \$/ $W_{dc}$  for commercial systems and 1.85 \$/ $W_{dc}$  for utility systems.



**Figure 6-8:** Weighted average PV system prices 2012 to the first quarter of 2014 (Source: SEIA [9])

The average price in Figure 6-9 is obtained in a “bottom-up” approach that involves adding up the whole prices of individual components and the cost of installation obtained from major installers. The resulting estimated prices, on the whole lower than the reported prices, are

3.73 \$/W<sub>dc</sub><sup>9</sup> for residential system, 2.53 /W<sub>dc</sub> for commercial systems and 1.77 /W<sub>dc</sub> for utility systems.



**Figure 6-9:** Bottom-up average PV system prices first quarter 2014 (Source: SEIA [9])


The seven categories of costs shown in each bar of Figure 6-9 starting from the bottom of the bars in the figure are

1. PV module cost,
2. cost of structural balance of systems (BOS),
3. cost of inverters and alternating current subsystems,
4. direct labor cost,
5. cost of direct current BOS,
6. cost of engineering and the permitting, interconnection and inspection (PII) process, and
7. supply chain costs, overhead and margins. This last cost is not shown in the legend in Figure 6-9.

<sup>9</sup> The direct current (dc) subscript in \$/W<sub>dc</sub> denotes that the price of the PV unit does not include the cost of the equipment needed to convert the electricity generated into alternating current (ac) mode used in the electric grid .


### 6.3 State of PV systems nationally

PV installed capacity in the U.S. has been increasing rapidly in the last thirteen years, growing from a mere 4 MW in 2000 to over 14,000 MW at the end first half of 2014. Figure 6-10 shows the annual and the cumulative installed capacity of grid-connected PV systems in the U.S.




**Figure 6-10:** Grid-connected U.S. PV installed 2000 to 2014 (Data source SEIA [10, 11])

The main factors behind this rapid expansion have been state and federal financial incentives and state renewable portfolio standards (RPS) with specific provisions for solar technologies. At the state level, sixteen states and the District of Columbia (DC) have a RPS with a specific quota for solar or for customer-side distributed generation. PV systems are the most common renewable energy technologies in use for residential customer-side distributed generation. Figure 6-11 shows the various forms of solar provisions in state RPSs. Sixteen states and the District of Columbia offer rebates for PV projects and 46 states offer some form of financial incentive for PV projects. Figure 6-12 shows the various types of financial incentives offered by states for solar projects [12]



**Figure 6-11:** Renewable portfolio standards with solar carve-outs (Source DSIRE [12])



**Figure 6-12:** Financial incentives for solar-photovoltaic systems (Source DSIRE [12])

Federal financial incentives introduced in 2008 and 2009 have added to the accelerated growth, especially in multi-megawatt utility scale projects. These federal incentives are:

- The extension and modification of the 30 percent investment tax credit (ITC) to remove the \$2,000 cap on personal ITC and to allow electric utilities access to the ITC;
- The provision by the American Recovery and Reinvestment Act (ARRA) for a 30 percent cash grant in lieu of the ITC and the production tax credit; and
- The provision in ARRA for funds for a U.S. Department of Energy (DOE) loan guarantee program targeted towards renewable energy resources (and transmission projects).


Table 6-1 lists PV projects in the U.S. having a capacity greater than 30 MW and above, all of which have been constructed since 2009. The two federal programs enacted under ARRA, the loan guarantee and the 30 percent cash grant program, expired in September of 2011 and December 2011, respectively. The ITC in its current state is authorized until 2016 after which the amount of credit will be reduced from 30 percent to 10 percent for solar systems.

Project Name	Developer	Capacity (MW)	Online Date	Electricity Purchaser	State
Topaz Solar Farm	First Solar	391	2014	Pacific Gas & Electric	CA
Solana	Abengoa	280	2013	Arizona Public Service	AZ
California Valley Solar Ranch	SunPower	250	2013	Pacific Gas & Electric	CA
Imperial Valley Solar Project Phase 1	AES Solar	200	2013	San Diego Gas & Electric	CA
Centinela Solar Energy	LS Power	170	2013	San Diego Gas & Electric	CA
Mount Signal Solar Farm	Abengoa	200	2014		CA
Topaz Solar Farm	First Solar	160	2013	Pacific Gas & Electric	CA
Campo Verde	First Solar	139	2013	SDG&E	CA
Imperial Energy Center South	First Solar	130	2013	San Diego Gas & Electric	CA
Arlington Valley Solar Project	LS Power	125		San Diego Gas & Electric	AZ
Arlington Valley Project II	LS Power	125	2013	San Diego Gas & Electric	AZ
AV Solar Ranch One	First Solar	115	2013	Pacific Gas & Electric	CA
Catalina Solar Project	EDF Renewables	110	2013	San Diego Gas & Electric	CA
Agua Caliente	First Solar	100	2012	Pacific Gas & Electric	AZ
Copper Mountain 2	First Solar	92	2012	Pacific Gas & Electric	NV
Agua Caliente	First Solar	70	2012	Pacific Gas & Electric	AZ
Alpine Solar Project	First Solar	66	2013	Pacific Gas & Electric	CA
Mesquite Solar	Sempra Generation	66	2013	Pacific Gas & Electric	AZ
Solar Star	SunPower	57	2014	Southern California Edison	CA
Silver State North Project	First Solar	50	2012	NV Energy	NV
Agua Caliente	First Solar	50	2012	Pacific Gas & Electric	AZ
Alpaugh	GCL-Poly/Solar Project Solutions	50	2012	Pacific Gas & Electric	CA
Macho Springs Solar Project	First Solar	50	2014	El Paso Electric Co	NM
Copper Mountain Solar Project	First Solar/Sempra Generation	48	2010	Pacific Gas & Electric	NV
Mesquite Solar	Sempra Generation	46	2012	Pacific Gas & Electric	AZ
Alamo 1 Solar Farm	OCI Solar Power	41	2013	CPS Energy	TX
Mesquite Solar	Sempra Generation	38	2011	Pacific Gas & Electric	AZ
Long Island Solar Farm	BP Solar	32	2011	Long Island Power Authority	NY
Alamosa Solar Generating Project	Cogentrix	30	2012	Public Service Company of Colorado	CO
Cimarron I Solar Project	First Solar	30	2010	Tri-State Generation and Transmission	NM
Agua Caliente	First Solar	30	2012	Pacific Gas & Electric	AZ
San Luis Valley Solar Ranch	Iberdrola	30	2011	Xcel Energy	CO
McKenzie Road Solar Farm	Recurrent Energy	30	2013	Sacramento Municipal Utility District	CA
Simon Solar Farm	Silicon Ranch	30	2013	Georgia Power	GA
Spectrum Solar	SunEdison	30	2013	NV Energy	NV
Austin Energy PV Project	SunEdison	30	2011	Austin Energy	TX

**Table 6-1:** PV systems with capacity greater than 30 MW installed in the U.S. (Data source: SEIA [5])

## 6.4 PV systems in Indiana

Similar to the nation, Indiana has seen a rapid growth in the amount of PV capacity installed in the last five years. According to the *Open PV Project* database maintained by the National Renewable Energy Laboratory (NREL) [13], there were 351 PV installations in Indiana totaling 82 MW at the time this report was written. Ninety five percent of that capacity was installed in 2013 and 2014. Figure 6-13 shows the annual and cumulative PV capacity installations in Indiana as reported to the NREL *Open PV Project* database as of August 21 2014.



**Figure 6-13:** Indiana installed PV capacity in NREL *Open PV Project* database (Data source NREL [13])

Five projects in Marion County commissioned in 2013 and 2014 contributed 85 percent of Indiana's 82 MW of PV capacity installed. They are the 26.2 MW Indy Solar I and II solar farm located in Franklin Township, the 12.5 MW Indianapolis International Airport solar farm, the 11.3 MW Indy Solar III project in Decatur Township, the 10.9 MW Maywood Solar farm at the Reilly Superfund site in Indianapolis, and the 9 MW Indianapolis Motor Speedway facility. Table 6-2 lists the PV installations with a capacity of 20 kW and above.

Owner /Developer	Rated Capacity (kW)	Location	Date Installed	Cost (\$/kW)
Dominion Resources	26,209	Franklin, Marion County	2013	
Johnson Melloh Solutions and Telemon Corporation	12,500	Indianapolis International Airport	2013	
Dominion Resources	11,275	Decatur, Marion County	2013	
Maywood Solar Farm	10,860	Reilly Tar and Chemical Superfund Site, Indianapolis	2014	
SunWize Technology and Blue Renewable Energy	9,042	Indianapolis Motor Speedway	2014	
groSolar	2,693	Griffith, Lake County	2013	3,899
groSolar	2,693	East Chicago	2013	3,899
U.S. General Services Administration	2,012	Emmett Bean Federal Center, Indianapolis	2011	
Indiana Municipal Power Agency	1,000	Richmond	2014	2,600
Lake Village Solar LLC	650	Lake Village, Newton County	2013	
Seating Technology, Inc.	627	Goshen	2013	
Solscient Energy	375	New Paris, Elkhart	2013	
Metal Pro Roofing	186	Franklin, Johnson	2011	
Johnson Melloh Solutions Demonstration Lab	100	Indianapolis	2011	
Transpo Bus Company	93	South Bend, Transpo Bus Station	2010	
Lakestation City	73	Lakestation City Hall, Lake Cty	2011	
Monroe County Board of Commissioners	64	Bloomington	2012	
Johnson Melloh Solutions	61	Fronius USA Headquarters	2013	
Laurelwood Apartments	60	Indianapolis	2011	
Johnson Melloh Solutions	50	Carmel, Hamilton County	2012	
Stinson-Remick Hall, Notre Dame	50	Notre Dame	2010	10,000
Greenworks Power	48	Indianapolis	2013	
IUPUI Business School	46	Indianapolis	2013	5,335
Agricultural	29	Rochester	2013	
Home Energy LLC	29	Valparaiso	2012	2,262
Residential	28	Newburgh, Warrick County	2013	3,005
St. Thomas Evangelical Lutheran Church	28	Bloomington	2013	2,504
Unitarian Universalist Church	24	Bloomington	2013	3,260
Congregation Beth Shalom	23	Bloomington	2013	2,573
New Holland Rochester	23	Rochester	2012	
Agricultural	21	Decatur	2013	
Shannon Glenn Apartments - 1	20	Evansville	2011	
Shannon Glenn Apartments - 2	20	Evansville	2011	

**Table 6-2:** PV systems in Indiana of 20kW and above capacity (Data source: NREL [13])

This installed capacity is expected to grow to at least 113 MW when all the PV capacity contracted to Indianapolis Power and Light (IPL) and Northern Indiana Public Service Company (NIPSCO) under their respective feed-in tariffs as shown in Table 6-3 is

commissioned. Two other Indiana utilities, Indiana Municipal Power Agency (IMPA) and Indiana Michigan Power (I&M), have multi-megawatt PV projects proposed or under development. IMPA has three 1 MW projects proposed in the cities of Frankton, Rensselaer and Peru, in addition to the 1 MW commissioned in August 2014 in city of Richmond. I&M has proposed to build five projects with a combined capacity of approximately 16 MW at different locations in its service territory at an estimated cost of \$38 million. The I&M project, pending approval by the Indiana Utility Regulatory Commission (IURC), is tentatively scheduled to begin construction in early 2016 [14] 15].

	Wind (kW)	Photovoltaic (kW)	Biomass (kW)	Total (kW)
IPL	0	98,132	0	98,132
NIPSCO	160	15,200	14,350	29,710
Total kW	160	113,332	14,350	127,842

**Table 6-3:** Renewable generation contracted under feed-in tariffs (Data source: IURC [16])

As explained previously, the factors being credited with the rapid growth in the PV market in the last few years include federal, state and utility incentives. The federal incentives include the renewal and expansion of the investment tax credit to remove the \$2,000 cap on personal tax credit and to allow electric utilities access to the investment tax credit. In addition the 2009 American Recovery and Reinvestment Act provided for an alternative 30 percent cash grant in lieu of the investment tax credit and provided additional funds for renewable energy projects in the DOE loan guarantee program. The favorable factors in Indiana include the experimental feed-in tariffs by IPL and NIPSCO and the expansion of the Indiana net metering rule to include all customer classes and systems up to 1 MW. The experimental feed-in tariffs by IPL and NIPSCO are fully subscribed; however NIPSCO has a proposal before the IURC for an extension of their program. While it was in place, the IPL feed-in tariff offered \$0.24/kWh for systems between 20 and 100 kW and \$0.20/kWh for systems greater than 100kW up to 10 MW. The NIPSCO feed-in tariff offered \$0.30/kWh for electricity and the associated renewable credits for units less than 10 kW and \$0.26 for solar facilities up to 2 MW. The total system-wide capacity available under the NIPSCO feed-in tariff was 30 MW with a requirement that no one technology would take up more than half of the cap. In addition 700 kW of the capacity was set aside for small PV projects (100 kW or less name-plate capacity) and 300 kW for small wind turbines.

## 6.5 Incentives for PV systems

### Federal Incentives

- Business Energy Investment Tax Credit (ITC) credits up to 30 percent of expenditures on solar systems [12].
- U.S. DOE Loan Guarantee Program (Section 1703, Title IV of Energy Policy Act (EPAct) of 2005 provides loan guarantees for large scale innovative renewable energy projects that reduce the emission of pollutants, including renewable energy projects. The program focuses on large scale projects costing over \$25 million. A supplementary loan guarantee program authorized by the American Recovery and Reinvestment Act of 2009 under Section 1705 of EPAct expired in 2011 [12].
- Business Energy Investment Tax Credit (ITC) credits up to 30 percent of expenditures, with no maximum credit, on qualifying solar energy installations [12].
- Modified Accelerated Cost-Recovery System (MACRS) + Bonus Depreciation allows businesses to recover investments in qualified renewable energy technologies through depreciation deductions. A provision for a 50 percent first year bonus depreciation added by the Economic Stimulus Act of 2008 expired in 2013 [12].
- Rural Energy for America Program (REAP) promotes energy efficiency and renewable energy for agricultural producers and rural small businesses through the use of grants and loan guarantees for energy efficiency improvements and renewable energy systems. The program covers up to 25 percent of costs [12].
- Qualified Energy Conservation Bonds (QEBCs) are qualified tax credit bonds that are allocated to each state based upon the state's percentage of the U.S. population. The states are then required to allocate a certain percentage to "large local governments." Qualified energy conservation projects include renewable energy production projects [12].
- High Energy Cost Grant Program administered by USDA is aimed at improving the electricity supply infrastructure in rural areas having home energy costs exceeding 275 percent of the national average. Eligible infrastructure includes renewable resources generation. The individual grants range from \$20,000 to \$3 million [17].
- Residential Renewable Energy Tax Credit allows taxpayers to claim 30 percent of their qualifying expenditures on installation of renewable energy technologies including solar electric systems, solar water heaters, wind turbines and geothermal heat pumps [12].
- Energy Efficiency Mortgage program provides mortgages that can be used by homeowners to finance a variety of energy efficiency measures, including renewable energy technologies, in a new or existing home. The federal government supports these loans by insuring them through the Federal Housing Authority or the Department of Veterans Affairs [12].

- Green Power Purchasing Goal requires 20 percent of energy used by federal agencies must be obtained from renewable resources by 2020 [17].

## Indiana Incentives

- Solar Access Laws prevent planning and zoning authorities from prohibiting or unreasonably restricting the use of solar energy. Indiana's solar-easement provisions do not create an automatic right to sunlight, though they allow parties to voluntarily enter into solar-easement contracts which are enforceable by law [12].
- Net Metering Rule qualifies renewable resources with a maximum capacity of 1 MW for net metering in Indiana. The net excess generation is credited to the customer in the next billing cycle [12].
- Clean Energy Credit Program (Energy Efficiency and Renewable Energy Set-aside) allocates nitrogen oxides (NOx) allowances for renewable energy and energy efficiency projects that displace utility electricity generation. These NOx credits can then be traded in the regional NOx market that covers 21 states in the eastern United States. One NOx allowance is allocated for each ton of NOx emissions displaced. Several projects may be combined in one application to meet the one ton minimum requirement [18] 19].
- Renewable Energy Property Tax Exemption provides property tax exemptions for solar thermal, PV, wind, hydroelectric and geothermal systems [12].
- Community Conservation Challenge Grant provides \$25,000-\$250,000 in grants for community energy conservation projects located in Indiana using commercially-available technologies. Projects include improving energy efficiency, renewable energy, reduction in energy demand or fuel consumption, and energy recycling. Projects must be public and have at least one community partner [12] 20].
- Sales and Use Tax Exemption for Electrical Generating Equipment exempts transactions involving manufacturing machinery, tools, and equipment used for the production of tangible personal property, which includes electricity, from state gross retail tax. However, only wind energy has clearly specified rules from the Department of Revenue [12].
- Clean Energy Portfolio Goal sets a voluntary goal of obtaining 4 percent between 2013 and 2018, 7 percent between 2019 and 2024, and 10 percent by 2025, of electricity from clean energy sources based on 2010 retail sales. Participation in the goal makes utilities eligible for incentives that can be used to pay for the compliance projects [12].
- Indianapolis Power & Light Co. – Small Scale Renewable Energy Incentives Program offers compensation for photovoltaic installations for residential and small-business customers. The compensation for solar is \$1 per watt up to \$4,000. The PV system must be at least 2 kW to be eligible [21].

## 6.6 References

1. International Energy Agency (IEA) Technology roadmap, solar photovoltaic energy, October 2010.  
[http://www.iea.org/publications/frepublications/publication/pv\\_roadmap.pdf](http://www.iea.org/publications/frepublications/publication/pv_roadmap.pdf).
2. Asia-Pacific Economic Cooperation. Virtual Center for Environmental Technology Exchange. <http://www.apec-vc.or.jp/e/modules/tinyd00/index.php?id=74>
3. U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Department of Energy (EERE). PV systems.  
<http://energy.gov/eere/energybasics/articles/photovoltaic-system-basics>.
4. National Renewable Energy Laboratory (NREL). Solar photovoltaic technology basics.  
[http://www.nrel.gov/learning/re\\_photovoltaics.html](http://www.nrel.gov/learning/re_photovoltaics.html).
5. Solar Energy Industries Association (SEIA), Utility-scale solar projects in the United States: operating, under construction, or under development.  
<http://www.seia.org/research-resources/major-solar-projects-list>  
[www.seia.org/sites/default/files/resources/Major%20Solar%20Projects%20List%203.6.14.pdf](http://www.seia.org/sites/default/files/resources/Major%20Solar%20Projects%20List%203.6.14.pdf)  
<http://www.seia.org/sites/default/files/resources/PUBLIC%20Major%20Projects%20List%202014-8-19.pdf>
6. Green Rhino Energy. Concentrating Photovoltaics (CPV).  
[http://www.greenrhinoenergy.com/solar/technologies/pv\\_concentration.php](http://www.greenrhinoenergy.com/solar/technologies/pv_concentration.php)
7. EIA. Updated capital cost estimates for utility scale electricity generation plants. April 2013. [http://www.eia.gov/forecasts/capitalcost/pdf/updated\\_capcost.pdf](http://www.eia.gov/forecasts/capitalcost/pdf/updated_capcost.pdf)
8. Lawrence Berkeley National Laboratory. Tracking the sun VI: An historical summary of the installed cost of photovoltaics in the U.S. from 1998-2012.  
<http://emp.lbl.gov/sites/all/files/lbnl-6350e.pdf>
9. SEIA. U.S. solar market insight report, Q1 2014, executive summary.  
<http://www.seia.org/sites/default/files/resources/fxD2AN7d502014q1smies.pdf>
10. SEIA. U.S. solar market insight report, 2013 year-in-review, executive summary.  
<http://www.seia.org/research-resources/solar-market-insight-report-2013-year-review>
11. SEIA. U.S. solar market insight report, Q1 2014, executive summary.  
<http://www.seia.org/research-resources/solar-market-insight-report-2014-q2>
12. Database of State Incentives for Renewables and Efficiency (DSIRE).  
<http://www.dsireusa.org/>
13. NREL. The open PV Project. <http://openpv.nrel.gov/>
14. The IMPA Wire. April 7, 2014.  
<http://www.rp-l.com/IMPA%20Wire%20-%20Solar%20Project.pdf>
15. Indiana Michigan Power. New release July 8, 2014.  
<https://www.indianamichiganpower.com/info/news/viewRelease.aspx?releaseID=1593>.
16. George Stevens. Indiana Utility Regulatory Commission.

17. U.S. Department of Agriculture, Rural Development, Electric Programs.  
<http://www.usda.gov/rus/electric/hecgp/overview.htm>.
18. Department of Environmental Management. Indiana clean energy credit program.  
<http://www.in.gov/idem/airquality/2553.htm>  
[www.in.gov/oed/files/Presentation\\_Letterman.ppt](http://www.in.gov/oed/files/Presentation_Letterman.ppt)
19. U.S. Environmental Protection Agency (EPA). State incentives for clean and renewable energy. [www.epa.gov/renewableenergyland/incentives/in\\_incentives.pdf](http://www.epa.gov/renewableenergyland/incentives/in_incentives.pdf)
20. Indiana Office of Energy Development. Community Conservation Challenge.  
[www.epa.gov/renewableenergyland/incentives/in\\_incentives.pdf](http://www.epa.gov/renewableenergyland/incentives/in_incentives.pdf)
21. Indianapolis Power and Light Company. Small Scale Renewable Energy Incentive Program.  
[http://www.iplpower.com/Residential/Home\\_Energy\\_Savings/Renewable\\_Energy\\_Incentive\\_Program.aspx](http://www.iplpower.com/Residential/Home_Energy_Savings/Renewable_Energy_Incentive_Program.aspx)



# 7. Hydropower

---

## 7.1 Introduction


Hydroelectric energy is produced by converting the kinetic energy of falling water into electrical energy. The moving water rotates a turbine, which in turn spins a generator to produce electricity. The harnessing of moving water to perform work has been in use for thousand years with the Greeks being on record to have used it to grind wheat more than 2,000 years ago. The evolution of the hydropower turbine began in the mid-1700s in Europe with the published work of Bernard Forest de Bélidor a French engineer. The first use of a water driven dynamo in the U.S. was in 1880 in Grand Rapids, Michigan followed closely by Niagara Falls, New York where they were used to provide street lighting. Unlike modern hydropower plants, these two projects used direct current technology. The first modern alternating current hydropower plant in the world was installed in Appleton, Wisconsin in 1882. It generated enough electricity to light the inventor's home, the power plant and one neighboring building [1, 2].

From these beginnings hydroelectricity quickly rose to become one of the principal sources of electricity in the U.S. At the beginning of the 20<sup>th</sup> century hydropower provided over 40 percent of the electricity generated in the U.S. With the rise of other fuels, such as coal, nuclear, natural gas and wind, the role of hydroelectricity has dropped steadily to the point that it supplied only 7 percent of the total electricity generated in 2013. However, although the quantity of hydropower as a proportion of the total electricity generated has diminished, it remains the main source of renewable electricity accounting for more than half the renewable electricity generated in the U.S. in 2013 [3, 4].

There are several different types of hydropower facilities today. They include [5]:

- Impoundment hydropower: These facilities use a dam to store water. Water is then released through the turbines to meet electricity demand or to maintain a desired reservoir level. Figure 7-1 shows a schematic of this type of facility.
- Pumped storage: When electricity demand and price are low, excess electricity is used to pump water from a lower reservoir to an upper reservoir. The water is released through the turbines to generate electricity when electricity demand and price is higher.
- Diversion projects: These facilities channel some of the water through a canal or penstock. They may require a dam but are less obtrusive than impoundment facilities.

- **Run-of-river projects:** These facilities utilize the flow of water of the river and require little to no impoundment. Run-of-river plants can be designed for large flow rates with low head<sup>10</sup> or small flow rates with high head.
- **Microhydro projects:** These facilities are small in size (about 100 kW or less) and can utilize both low and high heads. They are typically used in remote locations to serve the power needs of a single nearby home or business.



**Figure 7-1: Schematic of impoundment hydropower facility (Source: DOE [6])**

In addition, there are a variety of turbine technologies that are utilized for hydropower production. The type of turbine is chosen based on its particular application and the height of standing water. There are two main groups of turbines used in hydro power projects – the impulse and the reaction turbine types. The impulse turbine type uses the velocity of the water while the reaction turbine uses both the velocity of the water and the pressure drop as the water passes through the turbine. The impulse turbine is more suited to a high head, low flow application while the reaction turbine is more suited to a lower head, faster flow situation [7].

## 7.2 Economics of hydropower

Hydropower projects are very capital intensive and the cost is very site specific. Table 7-1 shows the capital cost estimates of various hydropower technologies provided for by the National Hydropower Association.

<sup>10</sup> Head is the elevation difference between the water level above the turbine and the turbine itself. Higher head results in greater potential energy.

Hydropower Technology	MW range	Installed Cost \$/kW
Conventional Hydro (impoundment)	50 (average)	\$1,000-\$5,000
Microhydro	< 0.1	\$4,000-\$6,000
Run of River (diversion.)	Approx. 10	\$1,500- \$6,000
Pumped Storage	>500	\$1,010-\$4,500

**Table 7-1:** Initial capital costs of hydropower projects (Data source: National Hydropower Association [8])

Table 7-2 shows the capital costs estimates from various sources. The capital cost estimates range from as low as \$1,700/kW in 1996 dollars done by Idaho National Laboratory (INL) to nearly \$14,000/kW cost estimate in 2008 dollars for the Susitna project in Alaska. Once constructed, a hydroelectric project has a major cost advantage since the fuel (water) is virtually free and also because hydroelectric plants have very low O&M costs.


Project	Time*	Initial Capital Costs (\$/kW) **
Idaho National Lab estimates	1996	1,700-2,300
EIA estimates	Hydroelectric	2,936
	Pumped Storage	5,288
Hawaii Pumped Storage Hydroelectric Project (Maui Electric Co.)	Umauma	1,966
	East/West Wailuaiki	3,011
	Big Island	2,432-2,842
	Maui	3,477
Susitna Project (Alaska)	2008	7,713-13,833
American Municipal Power (AMP)	Belleville	2,857
	Cannelton	4,951
	Smithland	6,226
	Meldahl	4,504
	Willow Island	7,889
	Robert C. Byrd	6,250
	Pike Island	7,414

\* Time the project's cost estimate was made or the project's expected start date.

\*\* The basis year for the capital cost estimates is 1996 for INL, 2012 for EIA, 2005 for Hawaii and 2008 for Alaska. The basis year for the AMP projects was not available. The document on which the AMP capital cost estimates were obtained was dated June 2011.

**Table 7-2:** Initial capital costs of hydropower projects (Data sources: [9-14])


According to the EIA updated plant costs [11], hydroelectric plants have one of the lowest O&M costs among electricity generating technologies. Figure 7-2 shows the fixed and variable O&M costs of various generating technologies. As can be seen in the Figure 7-2, hydroelectricity's variable O&M costs are estimated at zero and the fixed O&M cost of \$14/kW for a conventional hydroelectric plant is the second lowest after natural gas combustion turbines.



**Figure 7-2:** Variable and fixed O&M costs of generating technologies (Data source: EIA [11])

### 7.3 State of hydropower nationally

Hydropower has historically been the primary source of renewable energy in the U.S. Figure 7-4 shows the amount of electricity generated from renewable resources from 1949 to 2013. In the early parts of the 20<sup>th</sup> century hydroelectricity accounted for virtually all the renewable electricity consumed in the U.S. with all other renewable resources combined contributing less than one percent up to 1974. Although this dominance of hydroelectricity has steadily reduced over time, it still accounts for over half the renewable electricity generated and a third of the renewable energy consumed in the U.S. In 2013 hydroelectricity accounted for 52 percent of the renewable electricity generated and 28 percent of the total renewable energy consumed in the U.S.



**Figure 7-3:** Net renewable electricity generation in the U.S. (1949-2013) (Data source: EIA [4])

The total installed hydropower capacity in the U.S. consists of 78 gigawatts (GW) of conventional hydro and 22 GW of pumped hydro plants distributed over 2,500 dams [15, 16]. Table 7-3 is a list of the ten largest hydropower plants in the U.S.

Hydropower Plant	River	State	Nameplate capacity 2011 (MW)	Year of completion
Grand Coulee	Columbia	Washington	6,495	1942/1980
Bath County*	Little Back Creek	Virginia	2,862	1985
Chief Joseph	Columbia	Washington	2,456	1958/1979
Robert Moses - Niagara	Niagara	New York	2,429	1961/1962
John Day	Columbia	Oregon	2160	1968/1971
Hoover	Colorado	Nevada	2,079	1936/1961
Ludington*	Lake Michigan	Michigan	1,979	1973
The Dalles	Columbia	Oregon	1,820	1957/1973
Raccoon Mountain*	Tennessee River	Tennessee	1713.6	1978/1979
Pyramid/Castaic*	California Aqueduct	California	1,275	1973/1985

\*pumped hydropower stations

**Table 7-3:** Ten largest hydropower plants in the U.S. (Data source: EIA [16], USSD [17]),

Table 7-4 shows the top ten hydro states ranked by their hydroelectricity output in 2010. Over half of the hydroelectricity generation in 2012 was from the top three states of Washington, Oregon, and California.


1. Washington	89,464,000	6. Idaho	10,940,000
2. Oregon	39,410,000	7. Tennessee	8,296,000
3. California	26,837,000	8. Alabama	7,435,000
4. New York	24,652,000	9. Arizona	6,717,000
5. Montana	11,283,000	10. South Dakota	5,981,000

**Table 7-4:** Top ten U.S. hydropower generating states in 2012 (MWh) (Data source: EIA [18], National Hydropower Association [19])

According to the U.S. Hydropower Resource Assessment Final Report issued by the Idaho National Laboratory updated in 2006 there was an undeveloped potential for 30 GW of

hydropower available from 5,677 sites across the U.S. Of this capacity, 57 percent (17.0 GW) was at sites with some type of existing dam or impoundment but with no power generation. Another 14 percent (4.3 GW) was at projects that already had hydropower generation but were not developed to their full potential; only 28 percent (8.5 GW) of the potential would require the construction of new facilities. Therefore the potential for hydropower from existing dams was about 21.4 GW [20].

In April 2012 DOE released an assessment of the hydropower potential available at hydro sites that had dams already in place but no power generation equipment installed. According to the DOE there were a total of 80,000 such non-powered dams providing services such as navigation, water supply and recreation. The combined electricity generating potential at these sites was assessed at 12 GW [15]. Figure 7-5 shows the location of the non-powered dams with a hydropower potential greater than 1 MW. Table 7-5 shows the hydropower potential from non-powered dams for the states in the contiguous U.S.



**Figure 7-4:** Non-powered dams with potential capacity over 1 MW (Source: DOE [15])

State	Potential Capacity (MW)	State	Potential Capacity (MW)
Illinois	1269	Kansas	92
Kentucky	1253	Montana	88
Arkansas	1136	Washington	85
Alabama	922	Arizona	80
Louisiana	857	Connecticut	68
Pennsylvania	679	Massachusetts	67
Texas	658	New Hampshire	63
Missouri	489	Virginia	50
<b>Indiana</b>	<b>454</b>	Maryland	48
Iowa	427	Michigan	48
Oklahoma	339	Wyoming	45
New York	295	Tennessee	40
Ohio	288	Utah	40
Mississippi	271	South Carolina	38
Wisconsin	245	New Jersey	33
West Virginia	210	North Dakota	31
California	195	Maine	19
Minnesota	186	Vermont	17
Florida	173	Nevada	16
Colorado	172	Rhode Island	13
North Carolina	167	Idaho	12
Georgia	144	South Dakota	12
Oregon	116	Nebraska	7
New Mexico	103	Delaware	3


**Table 7-5:** Hydropower potential from non-powered dams by state (Data source: DOE [15])

In April 2014 DOE released another assessment of hydropower potential this time focused on undeveloped stream-reaches: that is, rivers and streams that do not have existing dams of any kind (either hydropower plants or non-powered dams). The total hydropower potential in these rivers and streams is estimated at 84.7 GW capable of producing 460,000 GWh of electrical energy per year [21].

#### 7.4 Hydropower in Indiana

Until the commissioning of the first wind farm in Indiana in 2008, hydroelectricity was the main source of renewable electricity in Indiana as shown in Figure 7-6. With 1,544 MW of

installed wind capacity compared to 73 MW of hydroelectricity in Indiana, wind is now the dominant source of renewable electricity. This is a significant change from the situation in 2008 when only 20 kW of grid-connected wind capacity was in operation in Indiana. Furthermore the photovoltaic capacity has also been climbing rapidly to overtake hydropower with 82 MW installed at the writing of this report and more projects expected to be commissioned in 2014.



**Figure 7-5:** Renewables share of Indiana net electricity generation (1990-2012) (Data source: EIA [22])

The 2012 DOE national assessment of hydropower potential from non-powered dams referred to in the preceding section of this report estimated that Indiana had a total potential of 454 MW hydropower from these, already existing, non-powered dams. This assessment is much higher than the 1995 DOE assessment that had estimated Indiana's gross potential at 84 MW [15]. Table 7-6 lists the dams in Indiana with a potential greater than 1 MW. The capacity of the two dams on the Ohio River is assigned in equal proportions between Indiana and Kentucky.

The April 2014 DOE assessment of hydropower potential in rivers and streams that do not have any dams today estimated that Indiana has the potential for 581 MW hydropower capacity capable of generating over 3,000 GWh of electricity per year. This is approximately 7 times the hydroelectricity generated in Indiana in 2012 and 3 percent of the total electricity generated in Indiana from all sources in 2012 [21].

Dam Name	County	City	River	Hydropower Potential (MW)
John T. Myers locks and dams	Posey	Mt. Vernon	Ohio River	395
Newburgh locks and dams	Henderson	Newburgh	Ohio River	319
Mississinewa Lake dam	Miami	Peru	Mississinewa River	14
J. Edward Roush Lake dam	Huntington	Huntington	Wabash River	9
Salamonie Lake dam	Wabash	Lagro	Salamonie River	9
Brookville Lake dam	Franklin	Brookville	White Water River (East fork)	8
Monroe Lake dam	Monroe	Guthrie	Salt Creek	8
White River dam	Marion	Indianapolis	White River	3
Patoka Lake dam	Dubois	Jasper	Patoka River	3
Cagles Mill Lake dam	Putman	Bowling Green	Mill Creek	2
Cecil M. Harden Lake dam	Parke	Mansfield	Raccoon Creek	2
Ball Band dam	St. Joseph	Mishawaka	St. Joseph River	2
Seymour Water Co. dam	Jackson	Seymour	White Water River (East fork)	2
Eagles Creek Reservoir dam	Marion	Clermont	Eagle Creek	2
West fork White River dam	Morgan	Martinsville	White River	2
Harding St. power plant dam	Marion	Indianapolis	White River	2
Versailles State Park dam	Ripley	Versailles	Laughery Creek	1.4
Emerichsville dam	Marion	Indianapolis	White River	1.3
Broad Ripple dam	Marion	Indianapolis	White River	1.3
Geist Reservoir dam	Marion	Indianapolis	Fall Creek	1.3
Cedarville dam	Allen	Cedarville	St. Joseph River	1.3
Hosey (Maumee River) dam	Allen	Fort Wayne	Maumee River	1.2

**Table 7-6:** Indiana non-powered dams with potential capacity over 1 MW (Data source: DOE [23])

American Municipal Power (AMP), a wholesale electricity supplier to municipal utilities in Ohio, Pennsylvania, Michigan, Virginia, Kentucky and West Virginia is in the process of developing six run-of-the-river hydroelectric projects at existing dams along the Ohio River.

Four of these projects – Cannelton, Melhahl, Smithland and Willow Island are already under construction while two projects, Robert Byrd and Pike Island, are undergoing the licensing process at the Federal Energy Regulatory Commission (FERC). One of the projects under construction, the 84 MW Cannelton project, is in the Indiana/Kentucky section of the river. Table 7-7 shows the estimated capital cost and expected commissioning dates of the projects.

Project	Capacity (MW)	Estimated capital cost (million \$)	Estimated capital cost (\$/kW)	Construction start date	Expected commissioning date
Cannelton	84	415.9	4,951	2009	2014
Meldahl	105	472.9	4,504	2010	2014
Smithland	72	448.3	6,226	2010	2015
Willow Island	35	276.1	7,889	2011	2015
Robert C. Byrd	48	300	6,250	2015	2017
Pike Island	49.5	367	7,414	2016	2019

**Table 7-7: AMP hydropower projects along Ohio River (Source: AMP [13, 14, 23])**

In addition the potential for installing hydroelectric generating capacity is being considered as part of the proposed Mounds Lake Reservoir project on the White River in Madison and Delaware counties [24, 25].

## 7.5 Incentives for hydropower

### Federal Incentives

- Renewable Electricity Production Tax Credit (PTC) provides a 1.1 cents/kWh tax credit for small irrigation hydroelectric facilities for ten years of operation. The PTC was modified in 2009 to allow producers who would qualify for the PTC to opt to take the federal business energy investment tax credit (ITC). The PTC expired in December 2013. However projects under construction in 2014 are eligible for the credit if they began construction by December 31, 2013 [26].
- Rural Energy for America Program (REAP) promotes energy efficiency and renewable energy for agricultural producers and rural small businesses through the use of grants and loan guarantees for energy efficiency improvements and renewable energy systems. The program covers up to 25 percent of costs [26].
- High Energy Cost Grant Program administered by the USDA is aimed at improving the electricity supply infrastructure in rural areas having home energy costs exceeding

275 percent of the national average. Eligible infrastructure includes renewable resources generation. The individual grants range from \$20,000 to \$3 million [26, 27].

- Green Power Purchasing Goal requires 20 percent of energy used by federal agencies must be obtained from renewable resources by 2020 [26].

## Indiana Incentives

- Net Metering Rule qualifies renewable resource facilities with a maximum capacity of 1 MW for net metering. The net excess generation is credited to the customer in the next billing cycle [26].
- Clean Energy Credit Program (Energy Efficiency and Renewable Energy Set-aside) allocates nitrogen oxides (NOx) allowances for renewable energy and energy efficiency projects that displace utility electricity generation. These NOx credits can then be traded in the regional NOx market that covers 21 states in the eastern United States. One NOx allowance is allocated for each ton of NOx emissions displaced. Several projects may be combined in one application to meet the one ton minimum requirement [28, 29].
- Renewable Energy Property Tax Exemption provides property tax exemptions for solar, wind, hydroelectric and geothermal systems [26].
- Community Conservation Challenge Grant provides \$25,000-\$250,000 in grants for community energy conservation projects located in Indiana using commercially-available technologies. Projects include improving energy efficiency, renewable energy, reduction in energy demand or fuel consumption, and energy recycling [26, 30].
- Sales and Use Tax Exemption for Electrical Generating Equipment exempts transactions involving manufacturing machinery, tools, and equipment used for the production of tangible personal property, which includes electricity, from state gross retail tax. However, only wind energy has clearly specified rules from the Department of Revenue [26].
- Clean Energy Portfolio Goal sets a voluntary goal of obtaining 4 percent between 2013 and 2018, 7 percent between 2019 and 2024, and 10 percent by 2025, of electricity from clean energy sources based on 2010 retail sales. Participation in the goal makes utilities eligible for incentives that can be used to pay for the compliance projects [26].

## 7.6 References

1. EERE. History of hydropower. <http://energy.gov/eere/water/history-hydropower>
2. The Library of Congress. [http://www.americaslibrary.gov/jb/gilded/jb\\_gilded\\_hydro\\_1.html](http://www.americaslibrary.gov/jb/gilded/jb_gilded_hydro_1.html)
3. U.S. Department of the Interior, Bureau of Reclamation. The history of hydropower development in the United States. <http://www.usbr.gov/power/edu/history.html>

4. EIA. May 2014 Monthly Energy Review. Table 7.2a.  
<http://www.eia.gov/totalenergy/data/annual/#electricity>
5. Idaho National Laboratory (INL). Hydropower: Types of hydropower facilities.  
[http://hydropower.inel.gov/hydrofacts/hydropower\\_facilities.shtml](http://hydropower.inel.gov/hydrofacts/hydropower_facilities.shtml)
6. U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy (EERE). Types of hydropower plants. <http://energy.gov/eere/water/types-hydropower-plants>
7. U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy (EERE). Types of hydropower turbines. <http://energy.gov/eere/water/types-hydropower-turbines>
8. National Hydropower Association. <http://www.hydro.org/why-hydro/affordable/>
9. INL. Hydropower: Plant costs and production expenses.  
[http://hydropower.inel.gov/hydrofacts/plant\\_costs.shtml](http://hydropower.inel.gov/hydrofacts/plant_costs.shtml)
10. Alaska Energy Authority. Susitna hydroelectric project: Project evaluation.  
<http://www.akenergyauthority.org/SusitnaFiles/031609EvaluationWOappen.pdf>
11. U.S. Energy Information Administration (EIA). Updated capital cost estimates for utility scale electricity generation plants. April 2013.  
[http://www.eia.gov/forecasts/capitalcost/pdf/updated\\_capcost.pdf](http://www.eia.gov/forecasts/capitalcost/pdf/updated_capcost.pdf)
12. Maui Electric Company, Ltd. Hawaii pumped storage hydroelectric project: Advisory group meeting, November 1, 2005.  
[http://www.mauielectric.com/vcmcontent/FileScan/PDF/MECO/IRP/M\\_hydro.pdf](http://www.mauielectric.com/vcmcontent/FileScan/PDF/MECO/IRP/M_hydro.pdf)
13. American Municipal Power (AMP). Hydroelectric power  
<http://amppartners.org/generation-assets/hydroelectric/>
14. AMP. Organization and generation project overview, June 2011.  
[http://amppartners.org/pdf/AMP\\_Projects\\_Overview\\_June\\_2011.pdf](http://amppartners.org/pdf/AMP_Projects_Overview_June_2011.pdf)
15. DOE. An Assessment of Energy Potential at Non-Powered Dams in the United States.  
<http://nhaap.ornl.gov/content/non-powered-dam-potential>  
[http://www1.eere.energy.gov/water/pdfs/npd\\_report.pdf](http://www1.eere.energy.gov/water/pdfs/npd_report.pdf)
16. EIA. Electricity Generating Capacity. Released January 2013.  
<http://www.eia.gov/electricity/capacity/>
17. United States Society on Dams. Largest hydro projects in the United States.  
[http://ussdams.org/uscold\\_s.html](http://ussdams.org/uscold_s.html)
18. EIA. May 2013 monthly energy review Table 7.2a.  
<http://www.eia.gov/totalenergy/data/monthly/#electricity>
19. National Hydropower Association. U.S. hydro generating profile.  
<http://hydro.org/why-hydro/available/hydro-in-the-states/>
20. Conner, A.M., J.E. Francfort, and B.N. Rinehart. U.S. hydropower source assessment final report. December 1998.  
<http://www1.eere.energy.gov/water/pdfs/doewater-10430.pdf>
21. New Stream-reach Development. A Comprehensive Assessment of Hydropower Energy Potential in the United States. <http://nhaap.ornl.gov/nsd#NSDfindings>,  
[http://nhaap.ornl.gov/sites/default/files/ORNL\\_NSD\\_FY14\\_Final\\_Report.pdf](http://nhaap.ornl.gov/sites/default/files/ORNL_NSD_FY14_Final_Report.pdf)

22. EIA. Indiana Electricity Profile Table 5, Release date: January 2012.  
<http://www.eia.gov/electricity/state/indiana/>
23. American Municipal Power. <http://amppartners.org/generation-assets/hydroelectric/>,  
[http://amppartners.org/images/Ohio\\_River\\_Hydro\\_map.jpg](http://amppartners.org/images/Ohio_River_Hydro_map.jpg)
24. Mounds Lake Reservoir project website.  
<http://moundslake.com/>  
<http://moundslake.com/wp-content/uploads/2013/01/Press-Release-environmental.pdf>
25. American Planning Association.  
[https://www.planning.org/news/daily/story/?story\\_id=id:6yhc8RkLj7aDG-04F2-2I4rSSRexYbqwq0Kv6OJOximJ3ysiGbnDx1a7BovvvOv8&source\\_type=O](https://www.planning.org/news/daily/story/?story_id=id:6yhc8RkLj7aDG-04F2-2I4rSSRexYbqwq0Kv6OJOximJ3ysiGbnDx1a7BovvvOv8&source_type=O)
26. Database of State Incentives for Renewables and Efficiency (DSIRE).  
<http://www.dsireusa.org/>
27. U.S. Department of Agriculture, High Energy Cost Grant Program overview.  
[http://www.rurdev.usda.gov/UEP\\_Our\\_Grant\\_Programs.html](http://www.rurdev.usda.gov/UEP_Our_Grant_Programs.html)
28. Indiana Department of Environmental Management. Indiana clean energy credit program.  
<http://www.in.gov/idem/airquality/2553.htm>
29. U.S. Environmental Protection Agency (EPA). State incentives for clean and renewable energy.  
[www.epa.gov/renewableenergyland/incentives/in\\_incentives.pdf](http://www.epa.gov/renewableenergyland/incentives/in_incentives.pdf)
30. Indiana Office of Energy Development. Community Conservation Challenge.  
<https://secure.in.gov/oed/2645.htm>