



Purdue University
Veterinary Technology Distance Learning Program

School of Veterinary Medicine, 625 Harrison Street, West Lafayette, Indiana 47907-2026

CLINICAL MENTORSHIP SITE FACILITY
REQUIREMENT AGREEMENT - VM 20900

In order for a veterinary care facility to participate as a Clinical Mentorship site for VM 20900 Equine Medical Nursing Clinical Mentorship, the facility must be equipped with the following equipment: (Check off boxes to verify that you have each item)

With the following equipment:

- Halter
- Lead rope
- Chain lead
- Twitch
- Rope
- Syringes
- Needles
- Thermometer - digital not mercury
- Stethoscope
- Clippers
- 4 X 4 gauze sponges
- Antiseptic scrub and appropriate rinsing agent
- Intravenous catheters - appropriate sizes for patients
- Hoof pick
- Dose syringe
- Gauze - 3" or 4"
- Tape - 2"
- Ace bandage - 3" or 4"
- Roll cotton/Leg bandage cotton
- Elastic bandage (Elasticon®, Vetrap®, Coban®)

Optional:

- Vacutainer collection system
- Catheter optionals
- Lidocaine
- #15 Scalpel blade
- Suture
- Super glue
- Bandage material

Purdue University is an equal access/equal opportunity/affirmative action university.

If you have trouble accessing this document because of a disability, please contact PVM Web Communications at vetwebteam@purdue.edu.

I certify that the veterinary care facility _____
Name of Veterinary Hospital or Facility

has the equipment that I have indicated by checking the boxes above; and that such
equipment and materials are available to the VT-DLP Student _____
Name of Student

for use in the completion of the VM 20900 Clinical Mentorship.

I certify that this facility is in compliance with current OSHA (Occupational Safety and Health Administration) and any state or local regulations, requirements, or laws regarding workplace safety.

Printed Name of Facility Veterinarian:

Signature: _____ Date:

This form must be signed and returned to the student, submitted and approved by Purdue prior to beginning of the Clinical Mentorship VM 20900.